

编号	内孔	内孔公差	小外径	小外径公差	大外径	大外径公差	高度1	高度1公差	总高度	总高公差	台阶	台阶公差	材质	油品	备注
3-097	16.4	+0.06+0.04	22	+0.03~+0	24	+0.1	2.2	+0.1	17.4	+0.15			QMP-1	FDA	
3-100	2	+0.012~+0.008	4.6	-0.05~-0.1	5.4	+0.04~+0.03	1.8	+0.02	4	+0.03			QMP-2	C68	内孔台阶
3-102	2	+0.015~+0.010	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-102-2	2	+0.015~+0.010	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	947-H	
3-103	3	+0.012~+0.005	6	4	10	+0~-0.05	1.5	+0.05	3.2	+0.05			C-02W	MOBIL1#	
3-103-3	3	+0.012~+0.005	6	4	10	+0~-0.05	1.5	+0.03	3.2	+0.03			C-02W	MOBIL 1#	
3-103-4	3	+0.012~+0.006	6	+0.02~+0	10	+0~-0.05	1.5	+0.05	3	+0.05	3.5		C-02W	947P	
3-103-5	3	+0.012~+0.006	6	+0.02~+0	10	+0~-0.05	1.5	+0.05	3	+0.05	3.5		F20MX	947P	
3-103-6	3	+0.012~+0.006	6	+0.02~+0	10	+0~-0.05	1.5	+0.05	3.1	+0.05	3.5		C-02W	947P	
3-103-7	3	+0.012~+0.006	6	+0.02~+0	10	+0~-0.05	1.5	+0.05	3	+0.05	3.5		C-02W	ST#6L	
3-105-2	1	+0.010~+0.007	3.4	0.010	4	+0.05~+0	0.5	+0.04~+0	1.2	+0.05	2.4		H-02	947P	
3-105-3	1	+0.006~+0.002	3.4	0.020	4	+0~-0.05	0.5		1.2	+0.05	0		F-40N	947P	
3-105-4	1	+0.009~+0.005	3.4	+0~-0.03	4	+0.03	0.5	+0.03	1.2	+0.05	0		C-02N	ST#330	
3-106-3	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	F-01	C68	油桶
3-106-4	3	+0.008+0.002	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	F-01	C68	油桶
3-106-5	3	+0.010+0.004	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	F-01	C68	油桶
3-106-6	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	FC-06A	C68	油桶
3-106-7	3	+0.010+0.003	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	FC-06A	C68	油桶
3-106-8	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.020	FC-06A	T32	油桶
3-106-9	3	+0.012+0.002	9.8	-0.02-0.04	11.4	+0.1	4		10.2	+0-0.1	9.74	-0.006-0.025	FC-06A	C68	油桶
3-108	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	OIL947	
3-108-1A	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-01	OIL 947	
3-108-2A	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-108-4A	2	+0.004~+0	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-108-6	2	+0.005~+0.001	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-11	947P	
3-108-7	2	+0.008~+0.005	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-11	947P	
3-108-8	2	+0.006~+0.002	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			0556	OIL 947	
3-108T	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			QMP-1	OIL 947	
3-108X	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			QMP-1	947P	
3-108X-2	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			QMP-1	#685X	
3-113-2	5	+0.025~+0.012	8	+0.015~+0	9	+0.1	1.4	+0.05	3.4	+0.1			FC-06A	#626	
3-115	2	+0.006~+0.002	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	ST2#	
3-115-2A	2	+0.004~+0.001	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-115-3	2	+0.006~+0.003	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-09	947P	
3-115-4	2	+0.008~+0.004	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-11	ST#6L	
3-115-5	2	+0.005~+0.001	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-09	947P	
3-115-6	2	+0.007~+0.003	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			H-11	OIL 947	

3-116	2	+0.012 <sup>^</sup> +0.007	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	OIL947	
3-116-2	2	+0.010 <sup>^</sup> +0.006	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	OIL 947	
3-116-3	2	+0.011 <sup>^</sup> +0.007	4.5	+ <sup>-</sup> 0.05	5.4	+0.07 <sup>^</sup> +0.06	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	T32	
3-116-4	2	+0.012 <sup>^</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	947P	
3-117	1.5	+0.008 <sup>^</sup> +0.005	4	+0 <sup>^</sup> -0.01	5	-0.01 <sup>^</sup> -0.03	1	+ <sup>-</sup> 0.1	2.1	+ <sup>-</sup> 0		1.9		C-02N	ST#330	
3-117-4	1.5	+0.011 <sup>^</sup> +0.007	4	+0 <sup>^</sup> -0.01	5	-0.01 <sup>^</sup> -0.04	1	+ <sup>-</sup> 0.05	2.1	+ <sup>-</sup> 0.05		1.9		FCU30W	ST#9	
3-117-5	1.5	+0.008 <sup>^</sup> +0.005	4	+0 <sup>^</sup> -0.01	5	-0.01 <sup>^</sup> -0.03	1	+ <sup>-</sup> 0.1	2.1			1.9		C-02N	ST#330	
3-117-6	1.5	+0.006 <sup>^</sup> +0.003	4	+0 <sup>^</sup> -0.01	5	-0.01 <sup>^</sup> -0.03	1	+ <sup>-</sup> 0.1	2.1			1.9		C-02N	ST#330	
3-117-7	1.5	+0.006 <sup>^</sup> +0.002	4	+0 <sup>^</sup> -0.01	5	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	2.1	+ <sup>-</sup> 0.05		1.9		H-04	ST#330	
3-117-8	1.5	+0.011 <sup>^</sup> +0.007	4	+0 <sup>^</sup> -0.01	5	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	2.1	+ <sup>-</sup> 0.05		1.9		H-11	ST#330	
3-117-9	1.5	+0.006 <sup>^</sup> +0.002	4	-0.01 <sup>^</sup> -0.03	5	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	2.1	+ <sup>-</sup> 0.05		1.9		H-11	ST#330	
3-119	2	+0.009 <sup>^</sup> +0.005	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	ST2#	
3-120	2	+0.013 <sup>^</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-121	3	+0.012 <sup>~</sup> +0.005	6	4	10	+0 <sup>~</sup> -0.05	1.5	+ <sup>-</sup> 0.05	2.8	+ <sup>-</sup> 0.05				C-02W	947P	
3-127	3	+0.03 <sup>~</sup> +0.01	6.5	+0.03 <sup>~</sup> +0.01	8.1	0	0.4	0	4	+ <sup>-</sup> 0.1				QMP-1	EP46	
3-128	2	+0.03 <sup>~</sup> +0.01	3.6	+0.02 <sup>~</sup> +0.01	4.5	0	1	0	2	+ <sup>-</sup> 0.1				QMP-1	MOBIL1#	
3-129	2	+0.012 <sup>^</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.05 <sup>^</sup> +0.03	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.10				QMP-1	C32	
3-130	2	+0.010 <sup>^</sup> +0.006	4.5	+ <sup>-</sup> 0.05	5.4	+0.055 <sup>^</sup> +0.040	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-131	2	+0.010 <sup>^</sup> +0.006	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	T68	
3-132	2	+0.005 <sup>^</sup> +0	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	947P	
3-132-2	2	+0.014 <sup>^</sup> +0.011	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>^</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05				QMP-1	947P	
3-133	2	+0.008 <sup>^</sup> +0.004	4.5	+ <sup>-</sup> 0.05	5.4	+0.03 <sup>^</sup> +0.02	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-134	2	+0.015 <sup>^</sup> +0.010	4.5	+ <sup>-</sup> 0.05	5.4	+0.08 <sup>^</sup> +0.07	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-135	2	+0.012 <sup>^</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.08 <sup>^</sup> +0.07	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-137	2	+0.015 <sup>^</sup> +0.010	4.5	+ <sup>-</sup> 0.05	5.4	+0.055 <sup>^</sup> +0.045	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-137-2	2	+0.011 <sup>^</sup> +0.007	4.5	+ <sup>-</sup> 0.05	5.4	+0.055 <sup>^</sup> +0.045	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	GF-32	
3-138-2	2	+0.010 <sup>^</sup> +0.005	5.4	+ <sup>-</sup> 0.01	6.6	+ <sup>-</sup> 0.05	0.6	+ <sup>-</sup> 0.05	2.3	+ <sup>-</sup> 0.1		2.5		AC100	1#/947P	油品待定
3-138-3	2	+0.010 <sup>^</sup> +0.005	5.4	+ <sup>-</sup> 0.01	6.6	+ <sup>-</sup> 0.05	0.6	+ <sup>-</sup> 0.05	2.3	+ <sup>-</sup> 0.1		2.5		QMP-1	T68/P46	油品待定
3-138-4	2	+0.010 <sup>^</sup> +0.005	5.4	+ <sup>-</sup> 0.01	6.6	+ <sup>-</sup> 0.05	0.6	+ <sup>-</sup> 0.05	2.3	+ <sup>-</sup> 0.1		2.5		H-04	MOBIL 1#	
3-139	2	+0.008 <sup>^</sup> +0.004	4.5	+ <sup>-</sup> 0.05	5.4	+0.04 <sup>^</sup> +0.02	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.1				QMP-1	C32	
3-139-2	2	+0.008 <sup>^</sup> +0.004	4.5	+ <sup>-</sup> 0.05	5.4	+0.04 <sup>^</sup> +0.03	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03				H-09	947-H	
3-140	1	+0.010 <sup>^</sup> +0.006	3.4	+0 <sup>^</sup> -0.03	4	+0 <sup>^</sup> -0.05	0.6	实0.5	1.4	+0 <sup>^</sup> -0.1				QMP-1	947P	
3-140	1	+0.010+0.006	3.4	+0 <sup>^</sup> -0.03	4	+0 <sup>^</sup> -0.05	0.5	+0.01 <sup>^</sup> +0	1.4	+0 <sup>^</sup> -0.1		0		QMP-1	947P	
3-140-2	1	+0.010 <sup>^</sup> +0.005	3.4	0.015	4	-0.01 <sup>^</sup> -0.04	0.6	实0.5	1.4	+0 <sup>^</sup> -0.1		0		C-05P	947P	
3-140-2	1	+0.010+0.005	3.4	0.015	4	-0.01 <sup>^</sup> -0.04	0.5	+ <sup>-</sup> 0.03	1.4	+0 <sup>^</sup> -0.1		0		C-05P	947P	
3-140-3	1	+0.009 <sup>^</sup> +0.006	3.4	0.015	4	-0.01 <sup>^</sup> -0.03	0.6	+ <sup>-</sup> 0.03	1.4	+0 <sup>^</sup> -0.1		0		C-02N	947P	
3-140-3	1	+0.009+0.006	3.4	0.015	4	-0.01 <sup>^</sup> -0.03	0.5	实0.6	1.4	+0 <sup>^</sup> -0.1		0		C-02N	947P	
3-140-4	1	+0.009 <sup>^</sup> +0.006	3.4	0.015	4	-0.01 <sup>^</sup> -0.03	0.6	+ <sup>-</sup> 0.03	1.4	+0 <sup>^</sup> -0.1		0		F-40N	947P	

3-140-4	1	+0.009+0.006	3.4	0.015	4	-0.01^-0.03	0.5	实0.6	1.4	+0^-0.1	0		F-40N	947P	
3-140-5	1	+0.009^+0.006	3.4	0.015	4	-0.01^-0.03	0.6	+0.03	1.4	+0^-0.1	0		F-40N	947P	
3-140-5	1	+0.009+0.006	3.4	0.015	4	-0.01^-0.03	0.5	实0.6	1.4	+0^-0.1	0		F-40N	947P	
3-140-6	1	+0.009^+0.005	3.4	+0.01^+0	4	-0.01^-0.03	0.6	+0.03	1.4	+0^-0.1	0		C-02C	947P	
3-140-6	1	+0.009+0.005	3.4	+0.01^+0	4	-0.01^-0.03	0.5	实0.6	1.4	+0^-0.1	0		C-02C	947P	
3-140-7	1	+0.010^+0.005	3.4	0.015	4	-0.01^-0.03	0.6	实0.5	1.4	+0^-0.1	0		FC-06A	947P	
3-140-7	1	+0.010+0.005	3.4	0.015	4	-0.01^-0.03	0.5	+0.03	1.4	+0^-0.1	0		FC-06A	947P	
3-140-8	1	+0.009^+0.005	3.4	+0^-0.015	4	-0.01^-0.03	0.6	+0.03	1.4	+0^-0.1	0		C-02C	947P	
3-140-8	1	+0.009+0.005	3.4	+0^-0.015	4	-0.01^-0.03	0.5	实0.6	1.4	+0^-0.1	0		C-02C	947P	
3-140-9	1	+0.005^+0.002	3.4	0.015	4	-0.01^-0.03	0.6	+0.03	1.4	+0^-0.1	0		C-02N	947P	
3-140-9	1	+0.005+0.002	3.4	0.015	4	-0.01^-0.03	0.5	实0.6	1.4	+0^-0.1	0		C-02N	947P	
3-141	2	+0.008^+0.004	4.5	+0.05	5.4	+0.03^+0.02	0.9	+0.05	1.2	+0.10			QMP-1	T32	
3-143-2	2	+0.014+0.008	6	+0.01-0.03	10	+0-0.03	1.5	+0-0.1	2.8	+0.1+0			C-02W	947P	
3-143-3	2	+0.012+0.006	6	+0.01	10	+0-0.05	1.5	+0.05	2.8	+0.05	2.5		C-02W	947P	
3-143-4	2	+0.014+0.008	6	+0-0.02	10	+0-0.05	1.5	+0-0.1	2.8	+0-0.1	2.5		C-02W	947P	
3-144	2	+0.02~-0.01	5	+0.04~-0.03	6	+0.05	1	+0.05	4	+0.05			QMP-1	T68	
3-146	2	+0.01^+0	6	0.015	7	+0~-0.05	1.5	+0.05	2.8	+0.05			C-02C	MOBIL1#	
3-146-2	2	+0.007+0.003	6	0.015	7	+0~-0.05	1.5	+0.05	2.8	+0.05			C-02C	947P	
3-146-3	2	+0.012+0.006	6	+0.01	7	+0~-0.05	1.5	+0.05	2.8	+0.05	2.2		C-02C	947P	
3-147-2	1.5	+0.010^+0.007	4	+0^-0.02	5	+0^-0.05	1	+0.05	2.1	+0.05	1.9		6226	947P	
3-148-3	1	+0.010^+0.007	3.4	0.010	4	+0.05^+0	0.5	+0.05	1.5		2.8	+0.15^-0.05	H-02	947P	
3-148-4	1	+0.007^+0.003	3.4	0.010	4	+0.05^+0	0.5	+0.05^+0	1.5		2.8	+0.15^-0.05	H-02	947P	
3-148-5	1	+0.008^+0.005	3.4	0.010	4	+0.05^+0	0.5	+0.05	1.5		2.8	+0.15^-0.05	H-02	947P	
3-148-6	1	+0.008^+0.005	3.4	0.010	4	+0.05^+0	0.5	+0.05	1.5		2.8	+0.15^-0.05	H-11	947P	
3-150	2	+0.007^+0.003	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.05			QMP-1	#624	
3-151-2	2	+0.006^+0.002	5.4	5	7	+0.05	0.6	+0.05	2.5	+0.03	2.3	+3.8	H-04	626	多台阶
3-152	2	+0.008^+0.004	4.5	+0.05	5.4	+0.075^+0.060	0.9	+0.05	1.2	+0.1			QMP-1	T32	
3-154	2.3	+0.013^+0.008	5	+0.05^+0.03	6.15	+0.10	0.7	+0.05	2.55	+0.05			QMP-1	T68	
3-155	2	+0.013^+0.010	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.03			QMP-1	OIL947	
3-155-2	2	+0.012^+0.008	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.03			QMP-1	947P	
3-156	3	+0.03^+0.01	6.5	+0.03^+0.01	8.1	0	0.4	0	2.5	+0.10			QMP-1	MOBIL1#	
3-158	2	+0.012^+0.007	4.5	+0.05	5.4	+0.04^+0.02	0.9	+0.05	1.2	+0.05			QMP-1	T32	
3-159	1.5	+0.010^+0.005	4	+0~-0.03	5	+0~-0.05	1	+0.05	2	+0.05	1.9		QMP-1	MOBIL1#	内孔台阶
3-162	2	+0.010^+0.005	5.4	+0.06^+0.04	6.6	+0.1	0.55	+0.05	2.3	+0.05	2.6		FCU30W	-	
3-162-2	2	+0.005^+0	5.4	+0.06^+0.04	6.6	+0.1	0.55	+0.05	2.3	+0.05	2.6		C-02N	-	
3-162-3	2	+0.010^+0.005	5.4	+0.06^+0.04	6.6	+0.1	0.55	+0.05	2.3	+0.05	2.6		C-02N	-	
3-163	2	+0.006^+0.002	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.03	1.2	+0.05			QMP-1	OIL947	
3-163-2	2	+0.006^+0.002	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.05			QMP-1	OIL 947	

3-164-2	2	+0.008~+0.003	5.4	+0.02	6.6	+0.05	0.6	+0.05	2.3	+0.05	0		H-04	#626	
3-165	1.5	+0.008~+0.003	4	+0.02~+0	5	+0~-0.05	1	+0.05	2	+0.05	1.9		QMP-1	#626	内孔台阶
3-165-2	1.5	+0.007~+0.003	4	+0.02~+0	5	+0~-0.05	1	+0.05	2	+0.05	1.9		QMP-1	ST#68B	
3-165-3	1.5	+0.007~+0.003	4	+0.01	5	+0~-0.05	1	+0.05	2	+0.05	1.9		H-11	ST#68B	
3-166	2	+0.012~+0.007	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-168-2A	2	+0.009~+0.006	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-168-3	2	+0.011~+0.007	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-168-4	2	+0.011~+0.007	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			F-01	OIL 947	
3-172	4	+0.02~+0	8	+0.05	9	+0.05	0.5	0	3	+0.05			QMP-1	T32	
3-173	2	+0.005~+0	5.4	+0.06~+0.04	6.6	+0.1	0.55	+0.05	2.3	+0.05	2.6		FCU30W	-	
3-174	2	+0.013~+0.009	4.5	+0.05	5.4	+0.08~+0.07	0.9	+0.05	1.2	+0.03			QMP-1	T32	
3-175-2	0.7	+0.017~+0.011	1.3	+0.02~+0.01	1.65	+0.03-0.05	0.4	+0~-0.05	1.4	+0.1~+0			QMP-1	946P	
3-175-3	0.7	+0.018+0.012	1.3	+0.02~+0.01	1.7	+0.05	0.4	+0.05	1.4	+0.12+0.07			C-05P	946P	
3-177	2	+0.020~+0.016	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	#624	
3-181	2.5	+0.02~+0.01	6	4	10	+0~-0.05	1.5	+0.03	3	+0.05			QMP-1	MOBIL1#	
3-182	4	+0.012~+0	12.5	8	15	+0~-0.1	5	+0.05	8	+0.1	10		QMP-1	MOBIL 1#	台
3-185	3.17	+0.012~+0.008	8	+0.07+0.05	9.5	+0.1	1.2	+0.05	3.7	0			FCU30W	不浸油	多台阶
3-188-2	3	+0.008+0.002	9.8	-0.03-0.05	11.4	+0.1	4		11.3	+0.05	9.74	-0.006-0.020	F-01	C68	油桶
3-188-3	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0.1	4		11.3	+0.05	9.74	-0.006-0.020	FC-06A	C68	油桶
3-188-4	3	+0.012+0.002	9.8	-0.03-0.05	11.4	+0.1	4		11.3	+0.05	9.74	-0.006-0.020	FC-06A	C68	油桶
3-188-5	3	+0.012+0.002	9.8	-0.02-0.04	11.4	+0.1	4		11.3	+0.05	9.74	-0.006-0.025	FC-06A	C68	油桶
3-189	2	+0.004~+0	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	OIL947	
3-189-2	2	+0.004~+0	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			Q1X新	OIL 947	
3-190	7	+0.02~+0	10	+0~-0.03	12	+0~-0.05	4.1	0	5.5	+0.05	7.3		AC100	#626	内孔台阶
3-193	2	+0.006~+0.002	4.5	+0.05	5.4	+0.04~+0.03	0.8	+0.05	1.1	+0.05			QMP-1	#624	
3-195	9	+0.022~+0	14	3	16	+0.05	3	+0.05	10	+0.1			AC100	P46	
3-196	1.5	+0.010~+0.006	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	GF-68	
3-196-2	1.5	+0.006+0.002	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	OIL 947	
3-197-3	0.7	+0.012~+0.006	1.3	+0.02~+0.01	1.65	+0.03-0.05	0.4		1.4	+0.1~+0			QMP-1	946P	
3-198	2	+0.006~+0.002	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	#465	
3-198-2	2	+0.009~+0.005	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-198-3	2	+0.009~+0.005	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			QMP-2	947P	
3-201-4	0.7	+0.012~+0.006	1.3	5	1.7	+0~-0.1	0.4	+0.05	1.4	+0.1~+0			C-03C	946P	
3-201-5	0.7	+0.012+0.007	1.3	+0.016+0.007	1.7	-0.05-0.10	0.4	+0.05	1.4	+0.1~+0			C-05P	946P	
3-201-6	0.7	+0.012~+0.006	1.3	+0.02+0.01	1.7	-0.05-0.10	0.4		1.4	+0.1~+0			C-05P	946P	
3-203-4	2	+0.012~+0.008	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-207	2.5	+0.04+0.03	6	+0.05~+0.02	7	+0.05	2	0	3.5	+0.05			QMP-1	#626	
3-207-2	2.5	+0.04+0.03	6	+0.05~+0.02	7	+0.05	2		3.5	+0.05			QMP-1	#626	

3-207-3	2.5	+0.04+0.03	6	+0.05~+0.02	7	+0.05	2		3.5	+0.05			F-40N	#626	
3-208	6	+0.02^+0.01	9	+0.01~+0	12	+0.05	10	+0.05	12.3	+0.1	6.4		QMP-2	#626	
3-209	2	+0.007^+0.003	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.05			QMP-1	#465	
3-220	2	+0.020^+0.012	5.4	+0.02	6.6	+0.05	0.6	0	2.3		2.5		AC100	MOBIL 1#	
3-222	2	+0.012^+0.008	4.5	+0.05	5.4	+0.045^+0.035	0.9	+0.03	1.2	+0.03			QMP-1	GF-32	
3-223	2	+0.007^+0.003	4.5	+0.05	5.4	+0.04^+0.03	0.9	+0.03	1.2	+0.03			QMP-1	APL-D3	
3-224	2	+0.009~+0.005	3.8	+0.04~+0.02	5.4	+0.06^+0.04	1.7	+0.03	4.2		2.08		QMP-1	947P	
3-224-2	2	+0.009~+0.005	3.8	+0.04~+0.02	5.4	+0.06^+0.04	1.7	+0.03	4.2		2.04		QMP-1	ST#232	
3-225	2	+0.012~+0.008	4	+0^-0.01	6	+0.05	1.5		2.5	+0.05			C-02N	ST#330	
3-225-2	2	+0.012~+0.008	4	+0^-0.01	6	+0.05	1.5		2.5	+0.05			FCU30W	BL-1#	
3-227	6	+0.014^+0.007	8	+0.01	10	+0.05	2	+0.05	6	+0.05			QMP-1	MOBIL1#	
3-228	5	+0.04~+0.02	8	5	10	+0.05	1	0	3	+0.05			C-02W	MOBIL1#	
3-230	4.5	+0.03~+0.01	9	+0.03~+0.01	10.56	+0.05	0.4	+0.05	4	+0.1			新Q1X	MOBIL1#	
3-231	6	+0.030^+0.015	10	3	12	+0.1	1	+0.1	5	+0.1			C-02W	MOBIL1#	
3-231-2	6	+0.035^+0.025	10	3	12	+0.1	1	+0.1	5	+0.1			C-02W	MOBIL1#	
3-232-2	2	+0.006^+0.003	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.03			QMP-1	947P	
3-233	2	+0.006^+0.002	4	+0.03^+0.01	6.4	+0~-0.05	0.7	+0.05~+0	1.6	+0.1~+0.05			QMP-1	947P	
3-234-2	5	+0.025+0.012	8	+0.015^+0	9	+0.1	2	+0.05	3.3	+0.10			C-04X	T68	
3-235	8.5	+0.04^+0.02	14	3	16	+0.05	3	+0.05	10	+0.1			AC100	P46	
3-236	2	+0.006^+0.002	4.5	+0.05	5.4	+0.04^+0.02	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-236-2	2	+0.006^+0.002	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.03			H-02	OIL 947	
3-237-4	1.5	+0.005^+0.001	4	-0-0.01	5	+0.03	0.9		2	+0.05	1.9		C-02N	947P	
3-239	4	+0.016^+0.006	8	-0.01^-0.03	10	+0.05	1	+0.05	4	+0.1			AC100	T32	
3-239-2	4	+0.016^+0.006	8	-0.01^-0.03	10	+0.05	1	+0.05	4	+0.1			AC15	201-50	
3-239-3	4	+0.016^+0.006	8	-0.01^-0.03	10	+0.05	1	+0-0.1	4	+0.1			AC100	T32	
3-240	3	+0.016~+0.006	8	-0.01^-0.03	10	+0.05	1	+0.05	4	+0.1			AC100	T32	
3-240-2	3	+0.030^+0.015	8	-0.01^-0.03	10	+0.05	1	+0.05	4	+0.1			FCU30W	MOBIL 1#	
3-240-3	3	+0.008+0.002	8	-0.01^-0.03	10	+0.05	1	+0-0.1	4	+0.1			AC100	#626	
3-243-2	4.5	+0.012~+0.004	10.9	+0.08~+0.05	12.4	+0.1	3	+0.1~+0	10.2	+0.1			C-02W	#626	
3-244	3.4	+0.066~+0.050	7.2	-0.02~-0.05	11.5	+0.03~-0.02	1.3	+0.02~-0.08	6.8	+0.06~-0.02			QMP-1	NYE181	
3-245	4.77	+0.008~+0	9.5	+0.05~+0.01	10.7	+0.07~-0.03	0.6	+0.03~-0.07	3.2	+0.03~-0.07			QMP-1	NYE181	
3-246	3.4	+0.036~+0.020	7.2	-0.01~-0.04	11.6	+0~-0.05	1.3	+0.05	6.9	0			QMP-1	NYE181	
3-247-2	4	-0.018~-0.026	7.9	+0.07+0.04	9.1	+0.03+0.01	0.9	+0.01~-0.04	3.18	+0.1			C-02W	#626	
3-250	2	+0.009~+0.005	4.5	+0.05	5.4	+0.07~+0.06	1	+0.05	1.3	+0.03			QMP-1	947P	
3-250-2	2	+0.009~+0.005	4.5	+0.05	5.4	+0.07~+0.06	1	+0.05	1.3	+0.03			QMP-1	947P	
3-250-3	2	+0.009~+0.005	4.5	+0.05	5.4	+0.07~+0.06	1	+0.05	1.3	+0.03			QMP-2	947P	
3-251	2	+0.011^+0.007	4.5	+0.05	5.4	+0.07^+0.06	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-252	2	+0.009^+0.005	4.5	+0.05	5.4	+0.06^+0.05	0.9	+0.05	1.2	+0.03			QMP-1	947P	

3-253	8	+0.014~+0.008	12	+0.04~+0.02	15.8	+0.08~+0.03	3	+0.05	13	+0.1			AC100	37#	
3-253-2	8	+0.014~+0.008	12	+0.04~+0.02	15.8	+0.08~+0.03	3	+0.05	13	+0.1			AC100	T32	
3-258-2	1.5	+0.016~+0.012	4	+0~-0.015	5	-0.01~-0.04	1	+0~-0.1	2	+0.05	2.8	+0.10~-0.05	C-05P	947P	
3-259	6	+0.05~+0.03	10.5	+0.03	12	+0~-0.1	4.9	+0.05	14.2	+0~-0.1			C-02W	#4140	10
3-259-2	6	+0.05~+0.03	10.5	+0.03	12	+0~-0.1	4.9	+0.05	14.2	+0~-0.1			C-02C	#4140	10
3-261	2	+0.009~+0.005	4.5	+0.05	5.4	+0.08~+0.07	1	+0.05	1.3	+0.03			QMP-3	947P	
3-261-2	2	+0.009~+0.005	4.5	+0.05	5.4	+0.08~+0.07	1	+0.05	1.3	+0.03			QMP-2	947P	
3-262	2	+0.010+0.005	4	+0.06~+0.04	5	+0.1	0.5	+0.05	2	+0.05			FCU30W	不浸油	
3-262-2	2	+0.010+0.005	4	+0.06~+0.04	5	+0.1	0.5	+0.02	2	+0.05			FCU30W	-	
3-262-3	2	+0.010+0.005	4	+0.06~+0.04	5	+0.1	0.5	+0.02	2	+0.05			FCU30W	ST#330	
3-263	2.5	+0.04+0.03	6	+0.05~+0.02	7	+0.05	2	0	3.5	+0.05			QMP-1	#626	C0.8
3-264	2	+0.016~+0.012	4.5	+0.05	5.4	+0.07~+0.06	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-268	3.5	+0.015~+0.005	7.4	0.025	9	+0.05	1	+0.05	6	+0.05			C-02C	FDA-1	
3-271	6	+0.05~+0.03	15.5	+0.05	22	+0.1	2	+0.05	16.5	0			C-02C	FDA-1	多台阶
3-273	2	+0.007~+0.002	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			QMP-1	947P	
3-274	2	+0.008~+0.004	5.4	+0.02	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			Q1X	947P	
3-275	2	+0.013~+0.009	3.5	+0.05	5.5	+0.03~+0	3.8	+0.05	6.2	+0.05			QMP-1	MOBIL1#	
3-275-2	2	+0.013~+0.009	3.5	+0.05	5.5	+0.03~+0	3.8	+0.05	6.2	+0.05			QMP-1	MOBIL1#	
3-276-2	2	+0.010~+0.005	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			FCU30W	947-H	
3-277	1	+0.006+0.002	3.4	-0.01~-0.04	4	-0.01~-0.04	0.5	+0.05	1.4	+0.05	2.4		C-02N	OIL947	多台阶
3-277-2	1	+0.010+0.005	3.4	0.015	4	-0.01~-0.04	0.5	+0.05	1.4	+0~-0.1	2.4		C-01	947P	
3-277-3	1	+0.009+0.006	3.4	0.015	4	-0.01~-0.04	0.5	+0.05	1.4	+0~-0.1	2.4		F-40N	OIL947	
3-277-4	1	+0.006+0.002	3.4	0.015	4	-0.01~-0.04	0.5	+0.05	1.4	+0~-0.1	2.4		F-40N	OIL947	
3-277-5	1	+0.008+0.004	3.4	0.015	4	-0.01~-0.04	0.5	+0.05	1.4	+0~-0.1	2.4		F-40N	OIL 947	
3-277-6	1	+0.010+0.006	3.4	-0.01~0.04	4	-0.01~-0.04	0.5	+0.05	1.4	+0.05	2.4		C-02N	947P	
3-278	2	+0.010~+0.006	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			FCU30W	OIL947	
3-279-2	2	+0.010~+0.007	4.5	+0.05	5.4	+0.06~+0.05	1.4	+0.05	1.7	+0.05			QMP-1	947P	
3-281-2	3	+0.011~+0.006	7	5	10	-0.02~-0.07	1.2	+0.05	3	+0.05			QMP-3	947P	形状特殊
3-282	3	+0.005~+0	5	+0.04~+0.03	6.5	-0.002~-0.011	2	+0.04	3	+0.1			C-02C	947P	内孔台阶
3-284	2	+0.013~+0.009	4.5	+0.05	5.4	+0.06~+0.04	0.9	+0.05	1.2	+0.05			QMP-1	948P	
3-287-2	2	+0.008~+0.005	4.5	+0.05	5.4	+0.06~+0.05	1.4	+0.05	1.7	+0.05			QMP-1	947P	
3-295-2	2	+0.004~+0	4.6	+0.05	5.4	+0.06~+0.05	1.4	+0.05	4	+0.05	2.06		Q1X	948P	多台阶
3-299	6	+0.016~+0.005	11	0	14	+0.05	2	+0.1	7	+0.1			C-02N	T37	
3-300	6.3	+0.057+0.053	9	+0~-0.02	11.13	+0~-0.05	2	0	3.6	+0.05	7		Q1X	OIL947	
3-300-2	6.3	+0.057+0.053	9	+0~-0.02	11.13	+0~-0.05	2		3.6	+0.05	7		QMP-3	#630	
3-301	6.3	+0.057+0.053	9	+0~-0.02	11.13	+0~-0.05	2	0	3.8	+0.05	7		Q1X	NYE181	
3-301-2	6.3	+0.057+0.053	9	+0~-0.02	11.13	+0~-0.05	2		3.8	+0.05	7		QMP-3	#630	
3-302-2	7	+0.005~+0	10	+0~-0.02	12	+0.05	4		5.4	+0.05	8	+0.05	C-02N	T68	

3-302-3	7	+0.005 <sup>+</sup> 0	10	+0 <sup>-</sup> 0.02	12	+0.05	4		5.4	+0.05	8	+0.05	FCU30W	T68	
3-303	2	+0.015 <sup>~</sup> +0.010	4	+0.01 <sup>+</sup> 0	6	+0.05	1	+0.05	3.4	+0.1			Q1X	ST#330	
3-304	8	+0.015 <sup>~</sup> +0.005	14	+0.02 <sup>~</sup> 0	17.5	+0.05	2.3	+0.1	7.3	+0.1			QMP-1	T37	
3-305-2	4	-0.002 <sup>-</sup> 0.010	8	7	10	+0.05	1.6	+0.05	6.6	+0.05			C-02N	BL-1#	
3-305-3	4	+0.01 <sup>+</sup> 0	8	7	10	+0.05	1.6	+0.05	6.6	+0.05			C-02N	BL-1#	
3-306	6	+0.016 <sup>+</sup> +0.005	10	0	14	+0.05	2	+0.1	7	+0.1			C-02N	T37	
3-307	8	+0.016 <sup>+</sup> +0.005	12	0	16	+0.05	2	+0.1	10	+0.1			C-02N	37#	
3-309	2.5	+0.04 <sup>+</sup> 0.02	4.8	0	6	+0.05	2	+0.05 <sup>+</sup> 0	3.4	+0.05	0		QMP-2	ST#330	
3-309-2	2.5	+0.04 <sup>+</sup> 0.02	4.8	0	6	+0.05	2	+0.05 <sup>+</sup> 0	3.4	+0.05	0		QMP-2	ST#330	
3-310-2	1.5	+0.008 <sup>~</sup> +0.002	3	+0.03 <sup>~</sup> +0.01	4	+0.1	0.5	+0.1	2	+0.1			C-03C	ST#32B	
3-310-3	1.5	+0.013+0.008	3	+0.03 <sup>~</sup> +0.01	4	+0.05	0.5	+0.05	2	+0.05			C-01	ST#6L	
3-312	1	+0.006 <sup>~</sup> +0.002	3	-0.01 <sup>~</sup> -0.04	4	+0 <sup>~</sup> -0.05	0.6	+0.05	1.35	+0.05			C-05P	947P	
3-313	1	+0.006 <sup>~</sup> +0.002	3	+0.02 <sup>~</sup> 0	4	+0 <sup>~</sup> -0.05	0.5	+0.05	1.3	+0.05			C-02N	ST#68B	
3-313-2	1	+0.012+0.008	3	+0.02 <sup>~</sup> 0	4	+0 <sup>~</sup> -0.05	0.5	+0.05	1.3	+0.05			H-02	OIL 947	
3-314	1.5	+0.004 <sup>+</sup> +0.001	4	+0.01	6	+0.03	0.8	0	1.8	+0.04			C-02C	947P	见工艺
3-315	1.5	+0.02 <sup>~</sup> 0	4	+0 <sup>~</sup> -0.02	5.8	+0.05	0.9	+0.05	3.4	+0.05 <sup>~</sup> 0			C-02C	630	
3-315-2	1.5	+0.02 <sup>~</sup> 0	4	+0 <sup>~</sup> -0.02	5.8	+0.05	0.9	+0.05	3.4	+0.05 <sup>~</sup> 0			C-02N	630	
3-316	4	+0.02 <sup>~</sup> 0	6.5	+0.01 <sup>~</sup> -0.03	8	+0.05	1.3	+0.05	2.8	+0.05			C-02C	630	径凸出
3-317	2	+0.006 <sup>+</sup> +0.002	4.5	+0.05	5.4	+0.07 <sup>+</sup> 0.06	0.9	+0.05	1.2	+0.1			QMP-1	947P	
3-320	2	+0.004 <sup>+</sup> +0.001	4.6	+0.05	5.4	+0.06 <sup>+</sup> 0.05	1.4	+0.05	3.6	+0.05			H-02	948P	
3-321	2	+0.005 <sup>+</sup> +0.001	4.5	+0.05	5.4	+0.06 <sup>+</sup> 0.05	0.9	+0.05	1.2	+0.05			QMP-1	ST#330	
3-322-2	2	+0.004 <sup>+</sup> +0.001	4.6	+0.05	5.4	+0.06 <sup>+</sup> 0.05	1.4	+0.05	3.5	+0.05			H-02	OIL947	阶
3-322-4	2	+0.004 <sup>+</sup> +0.001	4.6	+0.05	5.4	+0.06 <sup>+</sup> 0.05	1.4	+0.05	3.3	+0.05			H-02	OIL947	阶,总高不
3-325	1.5	+0.004 <sup>+</sup> +0.001	3.5	+0.01	5	+0 <sup>~</sup> -0.04	0.8	+0.02	1.8				C-02C	947P	
3-325-2	1.5	+0.004 <sup>+</sup> +0.001	3.5	+0.01	5	+0 <sup>~</sup> -0.04	0.8	+0.02	1.8				C-02N	947P	
3-326	1.5	+0.004 <sup>+</sup> +0.001	3.5	+0.01	5	+0 <sup>~</sup> -0.04	0.8	+0.02	2.6				C-02C	947P	
3-326-2	1.5	+0.004 <sup>+</sup> +0.001	3.5	+0.01	5	+0 <sup>~</sup> -0.04	0.8	+0.02	2.6				C-02N	OIL 947	
3-329	8	+0.023 <sup>~</sup> +0.010	13	+0.10 <sup>~</sup> +0.05	15	+0.1	1.4	+0.1	33.6	+0.1			C-02C	4UHI-100	
3-331	0.8	+0 <sup>~</sup> -0.05	1.8	+0 <sup>~</sup> -0.05	2.2	+0 <sup>~</sup> -0.1	1.15	+0.05	1.7	+0 <sup>~</sup> -0.06			C-05P	946P	见工艺
3-335	6	+0.014 <sup>+</sup> +0.005	8	+0.05	9	+0.05	3.9		6.2	+0.05			AC15	不浸油	
3-335-2	6	+0.014 <sup>+</sup> +0.005	8	+0.05	9	+0.05	3.9		6.2	+0.05			AC100	不浸油	
3-339	2.5	+0.04 <sup>~</sup> +0.02	6	+0.05 <sup>~</sup> +0.03	7	+0.05	0.75	+0.05	2.3	+0.05			QMP-1	T68	
3-340	8	+0.023 <sup>~</sup> +0.010	13	+0 <sup>~</sup> -0.015	16	+0 <sup>~</sup> -0.05	2.5	+0.1	33.6	+0 <sup>~</sup> -0.1			C-02C	FDA-1	
3-341	2	+0.006 <sup>~</sup> +0.002	4.5	+0.05	5.4	+0.06 <sup>~</sup> +0.04	1.1	+0.05	1.2	+0.05			H-02	OIL947	
3-341-2	2	+0.006 <sup>~</sup> +0.002	4.5	+0.05	5.4	+0.06 <sup>~</sup> +0.04	1.1	+0.05	1.2	+0.05			QMP-1	OIL947	
3-344	2	+0.011 <sup>+</sup> +0.007	4.5	+0.05	5.4	+0.08 <sup>+</sup> +0.07	0.9	+0.05	1.2	+0.05			QMP-1	OIL947	
3-346	8	-0.03 <sup>~</sup> -0.05	11	+0.08 <sup>~</sup> +0.05	15	+0.1	1.3	+0.15	27.92	+0.1			C-02C	ONDINA#68	
3-347	6.3	+0.06+0.05	9.5	+0.09 <sup>~</sup> +0.07	12.7	+0.1	1.5	+0.1	14.46	+0.1			H-04	#685-M	

3-352	0.7	-0.02~-0.03	4.7	+0.05~+0.03	5.1	+0~-0.05	0.25	+0-0.1	1.1	+0.1~+0	4		AC100	不浸油	形状特殊
3-354-2	4.88	+0-0.02	0.7	-0~-0.05	8.5	+0-0.1	1.1		8	+0-0.08			FCU30W	T68	
3-356	8	+0.025~+0.010	15	+0~-0.015	18	+0-0.02	2.3	+0-0.1	33.6	+0-0.1			C-02C	4UHI-100N	
3-357	2.5	+0.04^+0.02	4.8	0	6	+0-0.05	0.75	+0-0.03	2.15	+0-0.05	0		QMP-2	ST#330	
3-358	6	+0.04^+0.02	12	+0~-0.02	15	+0-0.05	1	+0-0.05	12.9	+0-0.1			AC100	T68	多台阶
3-361	1	+0.010~+0.004	3	0.015	4	+0-0.03	0.5	+0-0.03	1.3	+0-0.03			C-05P	947P	
3-362	0.7	+0.017~+0.013	1.3	+0.02~+0.01	1.65	+0.03-0.05	0.4	+0-0.05	1.15	+0.05~+0			C-05P	946P	多台阶
3-363	2.5	+0.04^+0.02	4.8	+0.08^+0.06	6	+0-0.05	0.75	+0-0.03	2.2	+0-0.05	0		QMP-2G	ST#330	
3-371	12.7	+0.020^+0.005	16	5	20	+0-0.05	3	+0~-0.05	10	+0~-0.1			FC-07A	T68	
3-372-2	8	+0.015^+0.005	12	+0.04^+0.02	16	+0-0.1	2		8	+0-0.1	8.4	+0~-0.1	QMP-3	PM-350	
3-372-2Q	8	+0.012+0.005	12	+0.020+0.005	16	+0-0.1	2		8	+0-0.1	0		QMP-3	PM-350	
3-373	6	+0.016^+0.005	10	5	14	+0-0.05	2	+0-0.07	4.9	+0-0.1			FC-10	626	
3-376	1.5	+0.010~+0.004	4	2	6	+0.025~+0	1.5	0	2.8	+0-0.05			C-02W	ST#32B	
3-377	6.3	+0.07+0.06	8	+0.03~+0	11.1	+0-0.05	1.57	+0-0.05	6.35	+0-0.1			C-02C	MOBIL1#	
3-379	2	+0.011^+0.007	4.5	+0-0.05	5.4	+0.09^+0.08	0.9	+0-0.05	1.2	+0-0.05			QMP-1	OIL947	
3-380-2	2	+0.008~+0.004	4.5	+0.1+0	5.5	+0.03+0.01	0.9		1.2	+0-0.05			H-11	ST#330	
3-381-3	1	+0.006^+0.002	3	+0.01+0	4	+0-0.05	0.5	+0-0.1	1.5	+0-0.03			C-01	PM-350	
3-382	1.5	+0.010~+0.006	3.9	+0-0.05	5.9	+0~-0.02	3	+0-0.1	4	+0.06~+0			C-02N	ST#330	形状特殊
3-383	6.3	+0.065+0.050	9.6	-0.01~-0.03	12.7	+0-0.05	1.2	0	6.5	+0-0.05			H-04	MOBIL1#	
3-384	2.3	+0.010~+0.005	5.5	+0.06~+0.04	7	+0~-0.05	0.7	+0-0.05	2.7	+0-0.05	2.6		FCU30W	MOBIL1#	
3-384-2	2.3	+0.010~+0.005	5.5	+0.06~+0.04	7	+0~-0.05	0.7	+0-0.05	2.7	+0-0.05	2.6		H-04	MOBIL1#	
3-386-2	8	+0.01~+0	12.3	+0~-0.02	16	+0-0.1	2	+0-0.1	8	+0-0.1			F-40N	MOBIL1#	
3-388	3	+0.013^+0.006	7.5	8	10	-0.023~-0.036	7.4	+0-0.05	8.55				FCU30W	MOBIL1#	多台阶
3-390	1	+0.004^+0.001	3	0.012	4	+0-0.03	0.5		1.5	+0-0.05			H-02	948P	
3-392	2	+0.005~+0.002	3.6	+0-0.05	5.4	+0.06~+0.05	0.9	+0~-0.1	4.4	+0~-0.1			FCU30W	ST#9	见工艺
3-393	1	+0.010~+0.007	3.6	+0.02~+0	3.9	+0.03~+0	0.5	+0-0.05	1.2	+0-0.05			FCU30W	ST#9	多台阶
3-394	7	+0.025~+0.015	10.38	+0.02~+0	12	+0~-0.05	10.2	0	12.35	+0-0.1			XIN Q1X	MOBIL1#	内孔台阶
3-396-2	1	+0.005~+0	3	+0.03~+0.01	4	+0~-0.05	0.5	+0-0.05	2	+0-0.05			C-03C	ST#45	
3-397	1.5	+0.008~+0.003	4	+0~-0.01	5	-0.01~-0.03	0.6	+0-0.03	1.6	+0-0.05	2.9		FCU30W	ST#330	形状特殊
3-399	12	+0.031~+0.010	16	3	19	+0-0.15	2		18	+0-0.1			FC-10	T68	
3-399-2	12	+0.031~+0.010	16	3	19	+0-0.15	2		18	+0-0.1			FC-06A	T68	
3-400	2	+0.006^+0.002	4.5	+0.10~+0.05	5.4	+0-0.01	0.9	+0-0.05	1.2	+0-0.05			QMP-1	947-H	
3-401	2	+0.009^+0.006	4.5	+0-0.05	5.4	+0.06^+0.05	0.9	+0-0.05	1.2	+0-0.03			0556	947-H	
3-402-2	8	+0.05^+0.04	11	+0.02^+0	14	+0^-0.1	2.1	+0^-0.15	7.6	+0-0.1			AC15	OIL 947	
3-405-2	3	+0-0.1	10.5	+0-0.1	12	+0.011~+0	4	+0-0.1	5	+0-0.1	4	+0.022+0.010	F-01	T68	
3-406	3	+0.013+0.005	9.8	-0.03-0.05	11.4	+0-0.1	4		13.2	+0-0.05			F-01	T68	油桶
3-406-2	3	+0.013+0.005	9.8	-0.03-0.05	11.4	+0-0.1	4		13.2	+0-0.05	9.74	-0.006-0.020	FC-07A	C68	油桶
3-406-3	3	+0.012+0.002	9.8	-0.02-0.04	11.4	+0-0.1	4		13.2	+0-0.05	9.74	-0.006-0.025	FC-06A	C68	油桶



3-409	2	+0.008 <sup>+</sup> +0.004	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			0556	947-H		
3-410	3	+0.010 <sup>+</sup> +0.003	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	9.45				FC-07A	C68	油桶	
3-410-2	3	+0.018 <sup>+</sup> +0.010	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	9.45				FC-07A	C68	油桶	
3-410-3	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	9.45				AC15	C68	油桶	
3-410-4	3	+0.017 <sup>+</sup> +0.007	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	9.45			7	+0-0.02	AC15	C68	倒角C1.0
3-410-5	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	9.45			7	+0-0.02	AC15	C68	面凹槽,内
3-410-6	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45		9.45			7	+0-0.02	AC15	C68	油桶
3-410-7	3	+0.017+0.008	7	+0.05+0.03	9	+ <sup>-</sup> 0.15	3.45		9.45	+ <sup>-</sup> 0.1			AC15	T68	油桶	
3-410-8	3	+0.015+0.008	7	+0.07+0.05	9	+ <sup>-</sup> 0.15	3.45		9.45	+ <sup>-</sup> 0.05			AC15	T68	油桶	
3-411	6	+0.055 <sup>+</sup> +0.025	12	5	16	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.08	12			8	+ <sup>-</sup> 0.1	FC-07A	T-100	上端凸台
3-411-2	6	+0.055 <sup>+</sup> +0.025	12	5	16	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.08	12			8	+ <sup>-</sup> 0.1	AC15W	T-100	上端凸台
3-412	3	+0.025 <sup>~</sup> +0	6	2	8	+ <sup>-</sup> 0.05	1.2	+0 <sup>~</sup> -0.15	3.4	0			QMP-2G	T-100		
3-412-2	3	+0.025 <sup>~</sup> +0	6	2	8	+ <sup>-</sup> 0.05	1.2	+0 <sup>~</sup> -0.15	3.4				AC15W	T-100		
3-413	6	+0.025 <sup>+</sup> +0.010	10	+0 <sup>~</sup> -0.015	11.5	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.1	8.1			8	+ <sup>-</sup> 0.03	FC-07A	T-100	上端凸台
3-413-2	6	+0.025 <sup>+</sup> +0.010	10	+0 <sup>~</sup> -0.015	11.5	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.1	8.1			8	+ <sup>-</sup> 0.03	AC15W	T-100	上端凸台
3-414	5	+0.055 <sup>~</sup> +0.025	8	+0.01 <sup>~</sup> +0	10	+ <sup>-</sup> 0.05	0.8	+0.05 <sup>~</sup> +0	2.9	+ <sup>-</sup> 0.05			FCU30W	T-100		
3-415	0.7	+0.013 <sup>~</sup> +0.007	1.25	+0.02 <sup>~</sup> +0.01	1.55	+0 <sup>~</sup> -0.02	0.4	+0 <sup>~</sup> -0.05	1.2	+ <sup>-</sup> 0.07			M10	946P		
3-416	2	+0.008 <sup>+</sup> +0.005	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-02	OIL947		
3-417	3	+0.024+0.006	9.8	-0.03-0.05	11.4	+ <sup>-</sup> 0.1	2.6	+ <sup>-</sup> 0.05	13.2	+ <sup>-</sup> 0.05			FC-10	T68	油桶	
3-418	3	+0.008+0.002	9.8	-0.03-0.05	11.4	+ <sup>-</sup> 0.1	2.6	+ <sup>-</sup> 0.05	11.3	+ <sup>-</sup> 0.05			FC-07A	C68	油桶	
3-419	3	+0.008+0.002	9.8	-0.03-0.05	11.4	+ <sup>-</sup> 0.1	2.6	+ <sup>-</sup> 0.1	10.2	+0-0.1			FC-07A	C68	油桶	
3-421	2	+0.012 <sup>+</sup> +0.009	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-11	OIL 947		
3-421-2	2	+0.011 <sup>+</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.060 <sup>+</sup> +0.045	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.05			0556	947-H		
3-421-3	2	+0.011 <sup>+</sup> +0.008	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-02	947-H		
3-421-4	2	+0.005 <sup>+</sup> +0.001	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-11	947P		
3-422	1	+0.007 <sup>+</sup> +0.003	3	+0 <sup>~</sup> -0.02	4	-0.01 <sup>~</sup> -0.03	0.5	+ <sup>-</sup> 0.05	1.5	+ <sup>-</sup> 0.05	1.4		C-02N	947P	内孔台阶	
3-422-2	1	+0.008 <sup>+</sup> +0.004	3	+0 <sup>~</sup> -0.01	4	+ <sup>-</sup> 0.05	0.5		1.5	+ <sup>-</sup> 0.05	1.4		F-40N	947P		
3-422-3	1	+0.008 <sup>+</sup> +0.004	3	-0 <sup>~</sup> -0.01	4	+ <sup>-</sup> 0.05	0.5	+ <sup>-</sup> 0.05	1.5	+ <sup>-</sup> 0.05	1.4		F-01	947P	阶,F-01新	
3-422-4	1	+0.007+0.003	3	-0 <sup>~</sup> -0.01	4	+ <sup>-</sup> 0.05	0.5	+ <sup>-</sup> 0.05	1.5	+ <sup>-</sup> 0.05	1.4		H-11	947P	内孔台阶	
3-423	2	+0.008 <sup>+</sup> +0.004	4.5	+ <sup>-</sup> 0.05	5.4	+0.065 <sup>+</sup> +0.055	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-02	947-H		
3-424	2	+0.011 <sup>+</sup> +0.007	4.5	+ <sup>-</sup> 0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+ <sup>-</sup> 0.05	1.2	+ <sup>-</sup> 0.03			H-02	947-H		
3-425	1	+0.008 <sup>~</sup> +0.004	3	+0 <sup>~</sup> -0.02	4	+0 <sup>~</sup> -0.03	0.5	+ <sup>-</sup> 0.03	1.4	+ <sup>-</sup> 0.03			C-02N	ST#9		
3-425-2	1	+0.008 <sup>~</sup> +0.004	3	+0 <sup>~</sup> -0.02	4	+0-0.04	0.5	+ <sup>-</sup> 0.03	1.4	+ <sup>-</sup> 0.03			6226	ST#9		
3-426	1	+0.009 <sup>+</sup> +0.005	3.4	0.020	4	+ <sup>-</sup> 0.05	0.6	实0.5	1.5	+ <sup>-</sup> 0.05			C-02N	948P		
3-426	1	+0.009 <sup>+</sup> +0.005	3.4	0.020	4	+ <sup>-</sup> 0.05	0.5		1.5	+ <sup>-</sup> 0.05			C-02N	948P		
3-426-2	1	+0.008+0.004	3.4	-0.02-0.03	4	+ <sup>-</sup> 0.05	0.5	实0.6	1.5	+ <sup>-</sup> 0.05			H-02	WS-T49		
3-426-2	1	+0.008+0.004	3.4	-0.02-0.03	4	+ <sup>-</sup> 0.05	0.6		1.5	+ <sup>-</sup> 0.05			H-02	WS-T49		
3-427	1	+0.006 <sup>+</sup> +0.002	3.4	0.020	4	+ <sup>-</sup> 0.05	0.6	+ <sup>-</sup> 0.05	1.4	+0 <sup>~</sup> -0.1	0		C-02N	ST#9		

3-428	1	+0.006~+0.002	3.4	0.020	4	+0.05	0.6	+0.05	1.4	+0~-0.1	0		C-02N	ST#9	
3-429	1.5	+0.015~+0.010	4	+0~-0.02	5	+0.03	0.7	+0.03	2	0	1.9		C-02N	ST#330	
3-430	2	+0.012~+0.006	5	+0~-0.012	6	+0~-0.1	1	+0~-0.1	2.3	+0.1~+0			C-02N	ST#330	
3-431	1	+0.010~+0.006	3.4	-0.01~-0.04	4	+0.05	0.5	0	1.2	+0.05			C-02N	ST#330	
3-432	2	+0.009~+0.006	4.5	+0.05	5.4	+0.06~+0.05	1	+0.05	1.3	+0.03			0556	947-H	
3-433	1.5	+0.012~+0.006	4	+0~-0.02	6	+0.03	0.85	0	2	+0.05~+0			C-02N	ST#330	形状特殊
3-434	1.5	+0.012~+0.006	4	+0~-0.02	6	+0.03	0.9	+0.05	1.8	+0.05~+0			C-02N	ST#330	形状特殊
3-435	2	+0.012~+0.006	5	+0~-0.02	6	+0~-0.1	1.5	+0~-0.1	2.8	+0.10~+0			C-02N	ST#330	
3-436	2	+0.012~+0.006	5	+0~-0.02	7	+0~-0.1	1.5	+0~-0.1	2.8	+0.1~+0			C-02N	ST#330	
3-439	1.5	+0.006~+0.002	3	+0.03~+0.01	4	+0.1	0.5	+0.1	1.4	+0.05			C-02N	947P	
3-441	3	+0.006~+0.002	7	+0.03~+0.01	8	+0.03	1	+0.05	3.7	+0.04			C-02N	948P	
3-442	1	+0.005~+0.002	2.6	+0~-0.02	3.5	+0~-0.05	0.7	+0.05	1.35	0			C-02N	947P	
3-442-2	1	+0.005~+0.002	2.6	+0~-0.02	3.5	+0~-0.05	0.7	+0.05	1.35		1.4		C-02N	947P	
3-443	1	+0.006~+0.003	3.4	0.010	4	+0.05~+0	0.5	+0.05	1.5	0			C-02N	947P	
3-443-2	1	+0.003~+0	3.4	0.008	4	+0.05~+0	0.5	+0.05	1.5	+0.05	2.5	+0.05	H-09	947P	
3-444	3	+0.013+0.007	9.8	-0.03-0.05	11.4	+0-0.05	2.6	+0.1	10.5	+0.05			F-01	C68	油桶
3-445	1.5	+0.007~+0.003	4	+0~-0.1	5	-0.01~-0.03	0.5	+0.03	1.95	+0.05			C-02N	947P	
3-446	1	+0.003~+0	3.4	5	4	+0~-0.03	0.5	0	1.2	+0.03			H-09	948P	
3-447	1	+0.009~+0.005	2.6	+0~-0.015	3.5	-0.01~-0.03	0.5	+0.03	1.1	+0.05			C-02N	947P	内孔台阶
3-448	1	+0.009~+0.005	2.6	+0~-0.015	3.5	-0.01~-0.03	0.5	+0.03	1.1	+0.05			C-02N	947P	
3-448-2	1	+0.010+0.005	2.6	+0~-0.015	3.5	-0.01~-0.03	0.5	+0.03	1.1	+0.05+0			C-01	947P	
3-449	1	+0.004~+0.001	3	-0.01~-0.04	4	-0.01~-0.04	0.5	+0.05	1.4	+0.05			C-02N	948P	
3-450	1	+0.011~+0.007	3.4	0.015	4	-0.01~-0.04	0.5	+0.03	1.2	+0.05			C-02N	947P	
3-451	1	+0.008~+0.004	2.6	+0~-0.02	3.5	+0~-0.02	0.7	+0.05	1.5	+0.05			C-02N	947P	
3-451-2	1	+0.009+0.005	2.6	+0-0.015	3.5	-0.01-0.03	0.5	+0.03	1.5	+0.03	1.2		C-02N	947P	
3-452	2	+0.020~+0.015	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-02	947-H	
3-453	1.5	+0.010~+0.004	4	-0.01~-0.04	5	-0.01~-0.03	0.6	+0.03	1.7	+0.03			C-02N	ST#330	内孔台阶
3-454	1.5	+0.008~+0.004	4	-0.01~-0.03	5	+0.05	1	+0.05	2.1	+0.01	0		C-02N	ST#330	
3-455	3	+0.012~+0.007	0.7	+0.03~+0	8	+0.05	1	+0.03	2.4	+0.05			C-02N	BL-1#	
3-456	6	+0.025~+0.010	8	+0~-0.05	10	+0~-0.015	5.2	+0~-0.1	8.15	+0~-0.08			AC15W	T-100	
3-457	1	+0.008~+0.004	3.4	0.035	4	+0.05	0.5	0	1.5	+0.05			C-02N	948P	
3-458	1.5	+0.010+0.006	4	+0~-0.01	5	-0.01~-0.03	1	+0.05	2.1	+0.05	1.9		C-02N	947P	
3-458-2	1.5	+0.010~+0.006	4	+0~-0.01	5	-0.01~-0.03	1	+0.1	2.1		1.9		F-01	947P	
3-458-3	1.5	+0.006~+0.002	4	+0~-0.01	5	-0.01~-0.03	1	+0.05	2.1		1.9		C-02N	947P	
3-458-4	1.5	+0.006+0.003	4	+0-0.015	5	+0.05	1	+0.05	2.1		1.9		H-11	PM-90	
3-458-5	1.5	+0.004+0	4	+0-0.015	5	-0.01~-0.03	1	+0.05	2.1		1.9		F-01	947P	
3-458-6	1.5	+0.008+0.005	4	+0-0.015	5	+0.05	1	+0.05	2.1		1.9		H-11	PM-90	
3-459	6	+0.014~+0.007	8	+0.01	10	+0.05	2	+0.05	4	+0.05			FC-06A	MOBIL1#	

3-460	1	+0.009~+0.005	2.6	+0~-0.015	3.5	-0.01~-0.03	0.5	+0.03	1.2	+0.03			C-02N	947P	
3-461	3	+0.04~+0.02	4.8	+0.03~+0.06	6	+0.05	1	+0.05	3.7	+0.1			QMP-2G	ST#330	
3-462	3	+0.010~+0.003	7	+0.05~+0.03	10	+0.1	2	+0.1	3.6	0			H-11	BL-1#	形状特殊
3-463	3	+0~-0.02	6	+0.02	7.2	+0.05~+0	0.6	+0.05	2.5	0			C-02N	BL-1#	
3-464	2	+0.010~+0.006	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.05			H-02	948P	
3-464-2	2	+0.009~+0.006	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			FC-06A	OIL 947	
3-465	6	+0.055~+0.025	12	0	16	+0.05	2	+0.08	12				AC15W	T-100	
3-466	1	+0.008~+0.004	3.4	+0~-0.02	4	+0.05	0.65	+0.05	1.4	-0.05~-0.15			C-02N	947P	
3-467	2	+0.006~+0.002	4.5	+0.05	5.4	+0.04~+0.03	0.9	+0.05	1.2	+0.03			H-11	947P	
3-467-2	2	+0.015~+0.011	4.5	+0.05	5.4	+0.06~+0.05	0.9	+0.05	1.2	+0.03			H-11	OIL 947	
3-468	12	+0.05~+0	14	+0~-0.05	20	+0.1	1	+0.1	10	+0.1			C-02C	T68	
3-468-2	12	+0.05~+0	14	+0~-0.05	20	+0.1	1.1	+0.1	10	+0.1			C-02C	T68	
3-469	1	+0.006~+0.001	3.4	5	4	+0.05~+0	0.5	+0.05~+0	1.2	+0.05			H-02	947P	
3-469-2	1	+0.006~+0.001	3.4	5	4	+0.05~+0	0.5	+0.05~+0	1.2	+0.05			H-11	947P	
3-470	2	+0.02~+0	6	+0.04~+0	7.87	+0.02	0.5		2.62	+0.05			FCU30W	BL-1#	
3-471	3.2	+0~-0.07	6.4	+0.03~+0	7.95	+0.05	1.59		6.35	+0.05			C-02N	BL-1#	
3-472	8	-0.042~-0.055	13	5	15	+0.1	1.35	+0.1	33.63	+0.1			C-02C	4UHI-100N	
3-473	3	+0.006~+0.001	7	+0.07~+0.05	11.5	+0.075	1		8.8				FCU30W	MOBIL1#	形状特殊
3-474	1	+0.010~+0.005	3.4	-0~-0.015	4	-0.01~-0.03	0.6	+0.03	1.4	+0~-0.1	0		H-11	947P	
3-474-2	1	+0.004~+0.001	3.4	+0~-0.015	4	-0.01~-0.03	0.6	+0.03	1.4	+0~-0.1	0		C-02C	947P	
3-474-3	1	+0.007~+0.003	3.4	-0.02~-0.03	4	+0.05	0.6	+0.05	1.4	+0~-0.1	0		0556	947P	
3-474-4	1	+0.006~+0.002	3.4	+0.01~0.02	4	+0.05	0.6	+0.05	1.4	+0.05	0		C-01	WS-T47	
3-474-5	1	+0.009~+0.006	3.4	-0.003~0.015	4	-0.01~0.03	0.6	+0.03	1.4	+0~0.1			H-11	ST#330	
3-475	1	+0.009~+0.006	2.6	+0~0.02	3.5	+0~0.05	0.7	+0.05	1.35		1.4		H-11	947P	
3-475-2	1	+0.009~+0.006	2.6	+0~0.02	3.5	+0~0.05	0.7	+0.05	1.35		1.4		C-02N	947P	
3-476	3	+0.012~+0.008	4	-0.005~0.010	6	+0.05	1.5		2.5	+0.05			C-02N	ST#330	
3-476-2	3	+0.012~+0.008	4	+0.01	6	+0~0.05	1.5		2.5	+0.05			C-02N	947P	
3-477	2.5	+0.025~+0.014	4.2	-0.03~0.05	5	+0.03	2.1	+0.03	3.5	+0.05			FC-06A	--	
3-478	3	+0.015~+0.005	9.5	+0.03~+0.01	12	+0.05	3	+0.03	14.1	+0.1+0			FC-06A	C68	油桶
3-478-2	3	+0.020~+0.005	9.5	+0.03~+0.01	12	+0.05	3	+0.05	14.1	+0.1+0			QMP-2	C68	油桶
3-478-3	3	+0.015~+0.005	9.5	+0.07~+0.05	12	+0.05	3	+0.05	14.1	+0.1+0			FC-06A	C68	油桶
3-479	3	+0.012~+0.005	7	0	10	-0.02~-0.07	1.5	+0.05	3.2	+0.05			C-02W	ST#330	形状特殊
3-480	3	+0.012~+0.002	7	+0.07~+0.05	9	+0.15	3.45	+0.15	11.45				FC-07A	C68	油桶
3-480-2	3	+0.012~+0.002	7	+0.07~+0.05	9	+0.15	3.45	+0.15	11.45				FC-06A	C68	油桶
3-481	5	+0.015~+0.005	8	+0.02	10	+0.05	0.8	+0.05	4	+0.05			AC15	ST#68B	
3-482	2	+0.012~+0.002	6	+0.016~+0	10	+0.05	1	+0.05	2.3	+0.1			C-02N	ST#68B	
3-483	3	+0.015~+0.008	9.8	-0.03~0.05	11.4	+0~0.05	2.6	+0.05	10.2	+0.05			FC-07A	C68	油桶
3-484	6	+0.022~+0	12	+0.06~+0.01	16	-	2	-	5	+0~0.05			FC-07A	T68	

3-485	6	+0.012 <sup>+</sup> +0.004	10	+0.02	14	+0.05	2	+0.05+0	9.5	+0.05			C-02C	FGC100	
3-486	6	+0.012 <sup>+</sup> +0.004	10	+0.05+0.02	12	+0-0.08	6.5	-	8.5	+0.05	6.3		AC15	T68	
3-487	6	+0.02 <sup>+</sup> +0.01	10	+0.035+0.023	12	+0-0.1	1	+0-0.05	3.2	+0-0.1			FC-06A	MI#	
3-488	5	+0.04 <sup>+</sup> +0.01	10	+0-0.015	13	+0-0.075	2.8	+0-0.05	5	+0-0.1			6226	MI#	
3-490	5	+0.04+0.02	8	+0.047+0.025	10	+0-0.05	1	-	6.4	+0-0.04			AC15	T68	
3-491	2.2	-0.025-0.040	3.4	+0.015+0	4.2	+0.05+0	1.45	+0-0.06	2.35	+0.06-0.02			6226	-	
3-492	1.5	+0.008+0.005	4	-0.005-0.020	5	+0-0.1	1	+0-0.03	1.9	+0-0.05			6226	ST#330	
3-493	2	+0.010+0.002	3.5	+0.02+0	5	+0-0.04	1	+0-0.05	2.1	+0-0.05	0		H-02	ST#330	
3-494	2	+0.007+0.003	5.5	+0.01+0	7	+0-0.05	0.6	+0-0.05	2.4	-			FCU30W	947P	多台阶
3-495	2.5	+0.025 <sup>+</sup> +0.014	4.2	-0.03 <sup>-</sup> -0.05	5	+0-0.03	1.4	+0.05 <sup>+</sup> +0	2.7	+0-0.05			FC-06A	清洗不浸油	
3-497	4	+0.012 <sup>+</sup> +0.005	8.5	+0 <sup>-</sup> -0.025	11.1	+0.03-0.02	2.3	+0-0.05	4.3	+0-0.05	4.5	+0-0.1	C-02W	947P	
3-498	6	+0.012 <sup>+</sup> +0.004	10	+0-0.02	14	+0-0.05	2	+0-0.05	8	+0-0.05			C-02C	MOBIL 1#	
3-499	3	+0.015 <sup>+</sup> +0.005	7.5	+0.01 <sup>-</sup> -0.03	14	+0 <sup>-</sup> -0.03	1.5	+0 <sup>-</sup> -0.1	2.8	+0-0.1			C-02W	MOBIL 1#	
3-500	2.5	+0.025 <sup>+</sup> +0.014	3.5	-0.03 <sup>-</sup> -0.05	5	+0-0.05	2.1	+0.1 <sup>+</sup> +0	3.5	+0-0.05			FC-06A	清洗不浸油	
3-501	2.5	+0.04 <sup>+</sup> +0.02	4.5	+0.03 <sup>+</sup> +0	6	+0-0.05	2.5	+0-0.05	4.5	+0-0.08			AC15	T68	
3-502	3	+0.012 <sup>+</sup> +0.008	8	-0.01 <sup>-</sup> -0.03	10	+0-0.05	1	+0-0.05	2.3	+0-0.05			FCU30W	MOBIL 1#	
3-503	1.5	+0.013 <sup>+</sup> +0.005	5	+0 <sup>-</sup> -0.022	6	+0 <sup>-</sup> -0.05	1	+0-0.05	2.3	+0-0.05			C-02W	947P	
3-503A	1.5	+0.013 <sup>+</sup> +0.005	5	+0 <sup>-</sup> -0.022	6	+0 <sup>-</sup> -0.05	1	+0-0.05	2.3	+0-0.05			C-02W	ST-6L	
3-504	2.5	+0.025 <sup>+</sup> +0.014	3.5	-0.03 <sup>-</sup> -0.05	5	+0-0.05	1.4	+0-0.05	2.7	+0-0.05			FC-06A	清洗不浸油	
3-505	8	+0.022 <sup>+</sup> +0	11	+0 <sup>-</sup> -0.02	13	+0 <sup>-</sup> -0.05	4.75		7	+0-0.1			AC15	T68	
3-506	3	+0.012 <sup>+</sup> +0.002	7	+0.07 <sup>+</sup> +0.05	9	+0-0.15	3.45	+0-0.15	8.6				FC-07A	C68	油桶
3-506-2	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+0-0.15	3.45	+0-0.15	8.6				FC-07A	C68	油桶
3-506-3	3	+0.02 <sup>+</sup> +0.01	7	+0.07 <sup>+</sup> +0.05	9	+0-0.15	3.45	+0-0.15	8.6				FC-07A	C68	油桶
3-507	8	+0 <sup>-</sup> -0.01	14	0.005	17	-0.1 <sup>-</sup> -0.2	2.2	+0-0.1	13.5	+0-0.1			F-40N	FGC30	
3-508	8	+0 <sup>-</sup> -0.01	14	0.005	17	-0.1 <sup>-</sup> -0.2	2.2	+0-0.1	11	+0-0.1			F-40N	FGC30	
3-509	12	+0.02 <sup>+</sup> +0.01	17.1	+0.05 <sup>+</sup> +0	22	+0-0.05	3	+0-0.1	20.1	+0-0.1			F-40N	MOBIL 1#	
3-510	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0-0.1	4		10.5	+0-0.05			FC-06A	C68	油桶
3-511	3	+0.010 <sup>+</sup> +0.005	7	+0.05 <sup>+</sup> +0.03	10	+0 <sup>-</sup> -0.1	1.5	+0-0.1	3	+0-0.1			FC-06A	-	
3-512	2	+0.009 <sup>+</sup> +0.006	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-11	OIL 947	
3-512-2	2	+0.008 <sup>+</sup> +0.004	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-11	OIL 947	
3-512-2L	2	+0.009 <sup>+</sup> +0.006	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-11	OIL 947	
3-512-3	2	+0.006 <sup>+</sup> +0.002	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			QMP-1	947P	
3-512-4	2	+0.011 <sup>+</sup> +0.008	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-11	OIL 947	
3-512-5	2	+0.008 <sup>+</sup> +0.004	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			F-01	ST#330	
3-512-6	2	+0.009 <sup>+</sup> +0.005	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			C-02N	OIL 947	
3-512-7	2	+0.008 <sup>+</sup> +0.004	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-02	ST#6L	
3-512-8	2	+0.006 <sup>+</sup> +0.002	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-02	OIL 947	
3-512-9	2	+0.007 <sup>+</sup> +0.003	4.5	+0-0.05	5.4	+0.06 <sup>+</sup> +0.05	0.9	+0-0.05	1.2	+0-0.03			H-02	OIL 947	

3-513	1	+0.006 <sup>+</sup> +0.002	2.6	+0 <sup>-</sup> -0.01	3.5	+ <sup>-</sup> 0.05	0.7	+ <sup>-</sup> 0.05	1.5	+ <sup>-</sup> 0.05			F-40N	ST#330	
3-514	3.2	+0.082+0.077	5	5	6.3	+0 <sup>-</sup> -0.02	2.3		4.8	+ <sup>-</sup> 0.05			FCU30W	ST#68B	
3-517	3	+0.02 <sup>+</sup> +0.01	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45		9.5				FC-06A	C68	
3-518	3	+0.02 <sup>+</sup> +0.01	7	+0.07+0.05	9		3.45		10.2				FC-06A	C68	油桶
3-519	3	-0.04 <sup>-</sup> -0.05	6.5	-0.03 <sup>-</sup> -0.05	8	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	2.2	+ <sup>-</sup> 0.05			F-01	过防锈油	
3-523	2.5	+0.04 <sup>+</sup> +0.03	6	+0.05 <sup>+</sup> +0.02	7	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.05	4	+ <sup>-</sup> 0.05			C-02W	#626	
3-524	2.5	+0.010+0.006	7	+0.03+0.01	8	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	4	+ <sup>-</sup> 0.05			C-02N	#626	
3-528	7.9	+0.062+0.040	13	+0.046+0.028	15	+ <sup>-</sup> 0.1	2.1		7.5	+ <sup>-</sup> 0.1			C-02C	MOBIL 1#	
3-529	3	+0.016+0.006	8	-0.01-0.03	10	+ <sup>-</sup> 0.05	1	+ <sup>-</sup> 0.05	3	+ <sup>-</sup> 0.1			AC100	T32	
3-530	6	+0.010+0.004	10	+ <sup>-</sup> 0.02	14	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.05	4.3	+ <sup>-</sup> 0.05			C-02W	MOBIL 1#	
3-531	3	+0.10+0.05	4.6	+ <sup>-</sup> 0.1	7.4	+0.05+0	3.4		4	+ <sup>-</sup> 0.1			AC15	T68	凸台
3-531-2	3	+0.10+0.05	4.6	+ <sup>-</sup> 0.1	7.4	+0.05+0	3.4		4	+ <sup>-</sup> 0.1			AC15	T68	凸台
3-532	6	+0.05+0.02	10	+0.044+0.019	12	+ <sup>-</sup> 0.1	2	+ <sup>-</sup> 0.1	20	+ <sup>-</sup> 0.1			C-02C	FGC40	
3-533	1	+0.005+0.002	3.4	-0.01-0.04	4	-0.01-0.04	0.5	+ <sup>-</sup> 0.05	1.4	+ <sup>-</sup> 0.05	2.4		F-01	OIL 947	
3-534	3	+0.017+0.008	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.4		10.45				AC15	C68	油桶
3-535	3	+0.012 <sup>+</sup> +0.002	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45	+ <sup>-</sup> 0.15	11.45				AC15	C68	油桶
3-536	3	-0.04 <sup>-</sup> -0.06	8	+ <sup>-</sup> 0.01	10	+ <sup>-</sup> 0.1	1.4	+ <sup>-</sup> 0.05	2.5	+ <sup>-</sup> 0.05			F-01	过防锈油	
3-536-2	3	-0.04 <sup>-</sup> -0.06	8	+0 <sup>-</sup> -0.02	10	+ <sup>-</sup> 0.1	1.4	+ <sup>-</sup> 0.05	2.5	+ <sup>-</sup> 0.05			F-01	过防锈油	
3-537	2	+0.016+0.008	4	+0.02+0.01	5	+0.04-0.02	0.5	+0.03-0.05	2.5	+ <sup>-</sup> 0.05			F-40N	ST#68B	
3-538	4	+0.015+0.005	6	+0.02+0	7	+0-0.05	1		8	+ <sup>-</sup> 0.05			F-40N	ST#68B	
3-539	16	+0.06 <sup>+</sup> +0.04	21.2	1	23	+ <sup>-</sup> 0.1	1.5	+ <sup>-</sup> 0.05	8.5	+0 <sup>-</sup> -0.15			F-40N	#626	
3-539-2	16	+0.06 <sup>+</sup> +0.04	21.2	1	23	+ <sup>-</sup> 0.1	1.5	+ <sup>-</sup> 0.05	8.5	+0 <sup>-</sup> -0.15			8283	T68	
3-540	3	+0.015+0.005	7	+0.07+0.05	9	+ <sup>-</sup> 0.15	3.45		10.2				AC15	C68	油桶
3-540-2	3	+0.017+0.008	7	+0.05+0.03	9	+ <sup>-</sup> 0.15	4		10.2				AC15	T68	油桶
3-541	3	+0.015+0.005	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.1	2.95		8.45		7	+0-0.02	AC15	C68	油桶
3-542	7	+0.02+0	10	+ <sup>-</sup> 0.01	12	+0-0.1	3.5		5	+ <sup>-</sup> 0.08			F-200S	MOBIL 1#	
3-543	1.5	+0.012+0.006	4	+0-0.02	5.4	+0-0.05	1		2.3	+ <sup>-</sup> 0.05	1.8		C-02N	947P	
3-544	3	+0.03+0.02	5	+0-0.02	6	+0-0.05	2.5		3.9	+ <sup>-</sup> 0.05	3.2		FC-06A	947P	
3-545	3	+0.05+0.04	4	+ <sup>-</sup> 0.01	6	+0-0.05	1	+ <sup>-</sup> 0.05	2				FC-06A	947P	
3-546	5.4	+0-0.05	9.7	+0.05+0.03	12	+ <sup>-</sup> 0.1	1	+ <sup>-</sup> 0.1	6.6	+ <sup>-</sup> 0.1			F-40N	T68	
3-547	5	+0.012 <sup>+</sup> +0.005	8	+0.015 <sup>+</sup> +0	9	+ <sup>-</sup> 0.1	1.2	+0.1 <sup>+</sup> +0	4.4	+ <sup>-</sup> 0.1			AC15	T68	
3-548	8	+0.023 <sup>+</sup> +0.010	13	+0 <sup>-</sup> -0.05	16	+0 <sup>-</sup> -0.05	2.5	+ <sup>-</sup> 0.1	10.9	+ <sup>-</sup> 0.1			C-02C	FDA-2	
3-549	3	+0.05 <sup>+</sup> +0	6	+ <sup>-</sup> 0.01	7	+ <sup>-</sup> 0.05	0.6	+ <sup>-</sup> 0.05	1.8	+ <sup>-</sup> 0.05			C-02C	ST#330	
3-550	1.5	+0.010 <sup>+</sup> +0.006	4	+0.02 <sup>+</sup> +0	5	-0.01-0.03	0.5	+ <sup>-</sup> 0.1	2.1	+ <sup>-</sup> 0.05	1.9		C-02C	947P	
3-552	3	+0.022+0.010	9.8	-0.03-0.05	11.4	+ <sup>-</sup> 0.1	4		16.5	+ <sup>-</sup> 0.1	3.5		FC-06A	C68	油桶
3-554	1.5	+0.03 <sup>+</sup> +0.02	4	+0.04 <sup>+</sup> +0.02	5	+ <sup>-</sup> 0.05	0.8	+ <sup>-</sup> 0.05	2	+ <sup>-</sup> 0.05	1.9		C-02N	ST#32B	
3-555	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+ <sup>-</sup> 0.15	3.45		7.45				AC15	C68	油桶
3-556	6	+0.01 <sup>+</sup> +0	8	-0.01 <sup>-</sup> -0.03	9.8	+ <sup>-</sup> 0.05	0.5	+ <sup>-</sup> 0.05	2.5	+ <sup>-</sup> 0.05			C-02C	#626	

3-557	8	+0.035 <sup>+</sup> +0.020	12	5	16	+0.2	1	+0 <sup>-</sup> -0.1	4	+0 <sup>-</sup> -0.1			AC15	#626	
3-558	14	+0.035 <sup>+</sup> +0.020	18	5	20	+0 <sup>-</sup> -0.05	1.9	+0 <sup>-</sup> -0.1	8.9	+0 <sup>-</sup> -0.1			AC15	#626	
3-559	4	+0.05 <sup>+</sup> +0.02	8	+0.02 <sup>+</sup> +0	10	+0.05	1	+0.05	3.2	+0.05			C-02C	FDA-1	
3-560	0.6	+0.012 <sup>+</sup> +0.006	1.4	6	1.7	+0 <sup>-</sup> -0.03	0.3	+0.05 <sup>+</sup> +0	0.9	+0.1 <sup>+</sup> +0			C-05P	948P	
3-561	15	+0.02 <sup>+</sup> +0	18	+0.06 <sup>+</sup> +0.03	21	+0.05 <sup>+</sup> +0	1	+0.05	3.5	+0.05			C-02C	ST#68B	
3-562	3	+0.04 <sup>+</sup> +0.02	6	+0.03 <sup>+</sup> +0.01	8	+0.05	0.5	+0.05	5	+0.05			FC-06A	T68	
3-563	10	+0.03 <sup>+</sup> +0.01	14.1	+0.03 <sup>+</sup> +0	16.7	+0.1	2	+0.15	19.7	+0.1			C-02C	FGC68	
3-564	3	+0.10 <sup>+</sup> +0.05	6	+0 <sup>-</sup> -0.02	9	+0.05	1.2	+0.05	2.3	+0.05			F-01	MOBIL 1#	
3-565	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+0.15	2.45		4.6	+0.05			AC15	C68	油桶
3-565-2	3	+0.015 <sup>+</sup> +0.005	7	+0.07 <sup>+</sup> +0.05	9	+0.15	2.45		4.6	+0.05			QMP-2G	MOBIL 1#	油桶
3-566	3	-0.04 <sup>-</sup> -0.06	6	+0 <sup>-</sup> -0.02	8	+0.1	1.6	+0 <sup>-</sup> -0.1	2.6	+0.05			F-01	过防锈油	
3-566-2	3	-0.04 <sup>-</sup> -0.06	6	+0 <sup>-</sup> -0.02	8	+0.1	1.6	+0 <sup>-</sup> -0.1	2.6	+0.05			F-01	-	
3-567	1.5	+0.013 <sup>+</sup> +0.005	5	+0 <sup>-</sup> -0.02	6	+0 <sup>-</sup> -0.05	1	+0.05	2.1	+0.05			C-02W	947P	
3-568	1.5	+0.013 <sup>+</sup> +0.005	5	+0 <sup>-</sup> -0.02	6	+0 <sup>-</sup> -0.05	1	+0.05	2.5	+0.05			C-02C	947P	
3-569	0.7	+0.012 <sup>+</sup> +0.006	1.3	6	1.65	+0.05	0.5	+0.05	1.5	+0.1 <sup>+</sup> +0			C-05P	946P	
3-570	3	+0.014 <sup>+</sup> +0.008	7	+0.07 <sup>+</sup> +0.05	9	+0.15	2.95	+0.15	5.95				AC15	C68	油桶
3-571	3	+0.012 <sup>+</sup> +0.006	6	+0.02 <sup>+</sup> +0	10	+0 <sup>-</sup> -0.05	1.5	+0.05	2.8	+0.05	3.5		C-02W	947P	
3-572	3	+0.012 <sup>+</sup> +0.006	6	+0.02 <sup>+</sup> +0	10	+0 <sup>-</sup> -0.05	1.5	+0.05	3.5	+0.05	3.5		C-02W	947P	
3-573	3	+0.012 <sup>+</sup> +0.006	6	+0.02 <sup>+</sup> +0	10	+0 <sup>-</sup> -0.05	1.5	+0.05	4	+0.05	3.5		C-02W	947P	
3-574	1.5	+0.011 <sup>+</sup> +0.007	5	+0 <sup>-</sup> -0.02	6	+0 <sup>-</sup> -0.05	1	+0.05	2.1	+0.05			C-02W	947P	
3-575	4	+0.015 <sup>+</sup> +0.005	9.5	+0.06 <sup>+</sup> +0.04	12	+0.15	5.2		13.8	+0.1	9.7	+0.04+0.02	FC-06A	C68	油桶
3-576	3	+0.045 <sup>+</sup> +0.025	4.95	+0.03	7	+0.1	1	+0.05	9.8	+0.05			AC15	T68	
3-577	3	+0.045 <sup>+</sup> +0.025	4.95	+0.03	7	+0.1	1	+0.05	7.5	+0.05			AC15	T68	
3-578	3	+0.015+0.005	9.8	-0.03-0.05	11.4	+0.1	4		12.5	+0.1			FC-06A	C68	油桶
3-579	3	+0.018 <sup>+</sup> +0.008	7	+0.07 <sup>+</sup> +0.05	8	+0.1 <sup>+</sup> +0	1	+0.05	13.1	+0.06	7	+0.055+0.040	C-04X	FDA-2	
3-579-2	3	+0.018 <sup>+</sup> +0.008	7	+0.07+0.05	8	+0.1 <sup>+</sup> +0	1	+0.05	13.1	+0.06	7	+0.055+0.040	C-04X	FDA-2	
3-580	3	+0.012 <sup>+</sup> +0.002	7	+0.07 <sup>+</sup> +0.05	9	+0.15	3.45		10.8				AC15	C68	油桶
3-581	3	+0.012 <sup>+</sup> +0.002	7	+0.07 <sup>+</sup> +0.05	9	+0.15	3.6		9.1	+0.1			AC15	C68	油桶
3-582	5	+0.015 <sup>+</sup> +0.005	11	+0.05 <sup>+</sup> +0.03	14	+0.1	2	+0.1	8	+0.1			AC15	T68	
3-583	5	+0.03 <sup>+</sup> +0.01	10	+0 <sup>-</sup> -0.05	13	+0.05	1.6	+0 <sup>-</sup> -0.1	21.4	+0.08 <sup>-</sup> -0.12			AC15	MOBIL 1#	
3-584	2	-0.04 <sup>-</sup> -0.07	6	+0 <sup>-</sup> -0.02	8	+0.1	1.45		2.45	+0.05			F-01	过防锈油	
3-585	2	+0.015 <sup>+</sup> +0.005	6	+0.05 <sup>+</sup> +0.03	8.5	+0 <sup>-</sup> -0.1	2.95		5.55	+0.05			FC-06A	C68	
3-586	3	+0.05 <sup>+</sup> +0.03	5	+0 <sup>-</sup> -0.02	6	+0.1 <sup>+</sup> +0	0.7	+0.05	1.9	+0.05			FC-06A	MOBIL 1#	
3-587	7.9	+0.07+0.05	11	+0.08 <sup>+</sup> +0.05	15	+0.1	2.5	+0.15	27.9	+0.1			C-01	ONDINA #68	度
3-587-2	7.9	+0.07+0.05	11	+0.085+0.070	15	+0.1	2.5	+0.15	27.9	+0.15			C-01	FDA-4	度
3-588	8	+0.025 <sup>+</sup> +0.010	12	5	16	+0.1	2	+0.05	5	+0.1	8.4	+0 <sup>-</sup> -0.1	F-01	#626	
3-589	2.5	+0.04 <sup>+</sup> +0.02	4.8	+0.08 <sup>+</sup> +0.06	6		0.75	+0.05	3.5	+0.1	0		QMP-1	ST#330	
3-590	8	+0.03 <sup>+</sup> +0.02	10.5	+0.02 <sup>+</sup> +0	13.5	+0.1	2	+0.1	7.5	+0.1			AC15	MOBIL 1#	

3-591	4	+0.010+0.004	8	-0.01-0.03	10	+0.05	1	+0.05	5.5	+0.1			FC-07A	T68	
3-591-2	4	+0.010+0.004	8	-0.01-0.03	10	+0.05	1	+0.05	5.5	+0.1			F-01	WS-P40	
3-592	5	+0.015+0.005	8	+0.04+0	10	+0.05	0.8	+0.05	3.8	+0.1			C-02C	MOBIL 1#	
3-594	4	+0.016+0.010	7	5	8	-0.1-0.2	1.5	+0.05	6.5	+0.05			C-03C	#626	
3-595	3	+0.012+0.006	7	+0.07+0.05	9	+0.15	2.95		7.45				AC15	C68	油桶
3-596	6	+0.08+0.02	9	+0.08+0.02	12.5	+0.05	1.2	+0.1	7.8	+0.1			C-02C	#626	
3-597	3	-0.05-0.07	8	+0.01	10	+0.05	1.8	+0.1+0	2.8	+0.1+0			F-01	过防锈油	
3-598	1.5	+0.011+0.007	3	+0.03+0.01	4	+0.05	0.5	+0.05	1.8	+0.05			C-02W	ST#6L	
3-599	3	+0.015+0.005	6	+0.04+0	8	+0.05	0.8	+0.05	2.3	+0.1			C-02C	MOBIL 1#	
3-599	8	+0.012+0.002	11	+0-0.05	14.3	+0.1	1.7	+0.1+0	12.2	+0.1			C-02N	201-50	
3-600	2	+0.015+0.010	4.5	+0.05	5.4	+0.06+0.05	0.9	+0.05	1.7	+0.05			QMP-1	947P	
3-601	6.3	+0.05+0.03	10.5	+0.02+0	13.5	+0.1	12	+0.1	13.5	+0.1			C-03C	ONDINA 68	
3-602	7	+0.05+0	10	-0-0.02	12	+0.05	4	+0.1	8.5	+0.1	8	+0.1	FCU30W	T68	
3-603	5	+0.03+0.01	7	+0-0.02	9	+0.1	1	+0.1	6	+0.1			AC17	MOBIL 1#	
3-604	18	+0.05+0.03	22	+0.08+0.05	26	+0.1	2.3	+0.1	16	+0.1			AC15	#626	
3-605	18	+0.05+0.03	22	+0.08+0.05	26	+0.1	2	+0.1	11	+0.1			C-02C	#626	
3-606	6	+0.015+0.005	10	+0.04+0	12	+0.1	1	+0.05	3	+0.1			FC-06A	MOBIL 1#	
3-607	3	+0.015+0.005	6	+0.04+0	8	+0.05	0.8	+0.05	2.8	+0.1			C-02C	MOBIL 1#	
3-608	2.5	+0.04+0.02	4.8	+0.08+0.06	6	+0.05	0.75	+0.05	3.5	+0.1	0		QMP-1	ST#330	
3-609	9.5	+0.055+0.040	12.7	+0.04+0.02	15.8	+0-0.1	1.7	+0-0.1	6.5	+0-0.1			C-02C	#626	
3-610	1	+0.016+0.012	3	+0.03+0.01	4	+0.05	0.5	+0.05	2.2	+0.05			C-02N	T68	
3-611	3	+0.012+0.006	6	+0.02+0	10	+0-0.05	1.5	+0.05	4	+0.05	3.5		C-02W	947P	
3-612	6	+0.05+0.03	8	+0.02	10	+0.05	2	+0.05	8	+0.05			FCU30W	#626	
3-613	7	+0.005+0	10	+0-0.02	12	+0.05	4	+0.05	6.5	+0.1	8	+0.1	FCU30W	T68	
3-614	5	+0.006-0.001	7	+0-0.02	8	+0.1	1	+0.05	5.5	+0.05			C-02N	MOBIL 1#	
3-615	1	+0.007+0.003	3.4	+0-0.01	4	+0.05	0.7	+0.05	1.9	+0.05			C-02N	948P	
3-616	5	+0.012+0.005	8	+0.045+0.025	10	+0.05	1.5	+0.05	4.5	+0.05			C-02W	MOBIL 1#	
3-617	16	+0.024+0.006	22	8	25	+0.1	2.5	+0-0.1	7.5	+0-0.1			C-02C	T68	
3-618	2	+0.013+0.009	4.5	+0.05	5.4	+0.06+0.05	0.9	+0.05	2.4	+0.05			QMP-1	OIL 947	
3-619	3	-0.04-0.05	6.5	-0.03-0.05	8	+0.05	1.9	+0.05	3.2	+0.05			F-01	过防锈油	
3-620	3	+0.028+0.022	5	+0.04+0.02	6.5	+0-0.05	2		4.3	+0.05			F-01	#626	
3-621	4	+0.015+0	7	+0.02	9	+0.05	0.8	+0.1	15	+0.1			F-01	A210	
3-621-2	4	+0.015+0	7	+0.02	9	+0.05	0.8	+0.1	15	+0.1			F-01	A210	
3-622	1.5	+0.05+0.02	2.5	+0.03+0	3.5	+0.03	0.4	+0-0.05	1.9	+0.05			C-02N	MOBIL 1#	
3-623	10	+0.03+0.01	14.1	+0.03+0	16.7	+0.1	2	+0.05	4.8	+0.1			C-02C	MOBIL 1#	
3-624	5	+0.04+0.02	8	+0.047+0.025	10	+0.05	1	+0.05	3.8	+0.1+0			C-02C	MOBIL 1#	
3-625	6	+0-0.02	8.8	+0-0.1	12	+0.03+0.01	18	+0.05	25	+0.2			C-02C	DG-202	
3-626	3.3	+0.018+0	4.9	+0-0.1	5.9	+0.015+0	1	+0.05	1.3	+0.02-0.06			C-02C	#626	

3-627	3.5	+0.03 <sup>+</sup> 0	6.4	+0.05	10.5	+0.1	1.2	+0.05	3.9	+0.1			C-02C	MOBIL 1#	
3-628	4	+0.03 <sup>+</sup> 0	6.4	+0.02	8.5	+0.1	1.5	+0.05	4	+0.1			C-02C	MOBIL 1#	
3-629	12	+0.046 <sup>+</sup> 0.028	15	7	17.5	+0.1	2	+0.05	10.5	+0.1			9085	A210	
3-630	2	+0 <sup>-</sup> -0.005	4	+0.01	6	+0.05	1.5	+0.05	4	+0.05			F-01	#626	
3-631	1.5	+0.007 <sup>+</sup> 0.003	4	+0 <sup>-</sup> -0.01	5	+0.05	1	+0.05	2.1	+0.05	1.9		H-11	ST#330	
3-631-2	1.5	+0.007 <sup>+</sup> 0.003	4	+0 <sup>-</sup> -0.1	5	+0.05	1	+0.05	2.1	+0.05	1.9		F-01	ST#330	
3-632	6	+0.02 <sup>+</sup> 0	10	+0.02 <sup>+</sup> 0	12	+0 <sup>-</sup> -0.08	10		12	+0.1	6.5		AC15	T68	
3-633	2.5	+0.015 <sup>+</sup> 0.005	4.5	+0.02 <sup>+</sup> 0	6	+0.05	2		3.5	+0.08			AC15	T68	
3-634	8	+0.05 <sup>+</sup> 0.03	10.5	+0.02 <sup>+</sup> 0	12	+0 <sup>-</sup> -0.08	3		6.8	+0.1			AC15	T68	
3-635	5	+0.02 <sup>+</sup> 0	7	+0.02 <sup>+</sup> 0	8	+0.05	1.5		4.5	+0.08			AC15	T68	
3-636	8	+0.02 <sup>+</sup> 0	12	+0 <sup>-</sup> -0.02	14	+0.05	2		8.3	+0.1			AC15	T68	
3-637	10	+0.046 <sup>+</sup> 0.028	13	+0.03 <sup>+</sup> 0.01	16		2	+0.05	11.5	+0 <sup>-</sup> -0.1			8283	A210	
3-643	1	+0.012 <sup>+</sup> 0.006	2	5	4	+0.03	0.6	+0.03	2.5	+0.05			C-01	946P	
3-644	1.5	+0.008 <sup>+</sup> 0.004	4	-0.01 <sup>-</sup> -0.02	6	+0 <sup>-</sup> -0.03	1		1.75	+0.05	1.9		C-01	948P	
3-645	1	+0.003 <sup>-</sup> -0.001	3.2	+0 <sup>-</sup> -0.015	3.6	-0.01 <sup>-</sup> -0.04	0.5	+0 <sup>-</sup> -0.1	1.45	+0.05			C-01	947P	
3-646	6	+0.025+0.010	12	+0.04+0.01	16	+0.1	2	+0.1	11.3	+0.15			C-02C	MOBIL 1#	
3-647	3	+0.012+0.002	7	+0.07+0.05	9	+0.15	2.95		9.45				AC15	C68	油桶
3-648	4	+0.016 <sup>+</sup> 0.006	8	-0.01 <sup>-</sup> -0.03	10	+0.05	1	+0 <sup>-</sup> -0.08	3.8	+0 <sup>-</sup> -0.15			C-02C	#626	
3-649	2.5	+0.035 <sup>+</sup> 0.025	6	4	10	+0 <sup>-</sup> -0.1	1.5	+0 <sup>-</sup> -0.08	4.3	+0 <sup>-</sup> -0.15			C-02C	#626	
3-650	1.5	+0.010 <sup>+</sup> 0.007	4.2	+0 <sup>-</sup> -0.08	4.6	-0.02 <sup>-</sup> -0.05	0.7	+0 <sup>-</sup> -0.1	1.65	+0 <sup>-</sup> -0.1			C-01	947P	
3-651A	6.5	+0.1	8.55	+0.03 <sup>-</sup> -0.05	14		1	+0.1	7.7	+0 <sup>-</sup> -0.36			AC15	油	
3-651B	6.5	+0.1	8.55	+0.03 <sup>-</sup> -0.05	14		1	+0.1	7.7	+0 <sup>-</sup> -0.36			CFY-116		浸油
3-652	8	-0.015 <sup>-</sup> -0.03	13.3	+0.04 <sup>+</sup> 0.02	15	+0.1	3	+0.1	19	+0.1			C-01	FGC100	
3-653	10	+0.04+0.02	14	-0.02-0.04	18	+0.1	4.5	+0.1	8.5	+0.05			C-02C	MOBIL 1#	
3-654	2	+0.008 <sup>+</sup> 0.004	4.5	+0.03 <sup>+</sup> 0.01	6.5	+0 <sup>-</sup> -0.05	2	+0.05	3.5	+0.05			FC-06A	ST#330	
3-655	8	-0.01 <sup>-</sup> -0.03	13.3	+0.04 <sup>+</sup> 0.02	15	+0.1	3		24.2	+0.1			C-01	FGC100	
3-656	0.8	+0.007 <sup>+</sup> 0.004	2.2	+0 <sup>-</sup> -0.02	2.8	-0.02 <sup>-</sup> -0.03	0.5	+0.03	1.35		1		C-01	947P	
3-658	6	+0.01+0	9	+0.01	11	+0.05	4.8		7.6	+0.05	6.5		F-01	MOBIL 1#	
3-659	5	+0.015 <sup>+</sup> 0	6.5	+0 <sup>-</sup> -0.02	8	+0 <sup>-</sup> -0.05	3	+0.05	4.2	+0.05			QMP-1	MOBIL 1#	
3-660	1	+0.025 <sup>+</sup> 0	4	+0 <sup>-</sup> -0.05	6	+0 <sup>-</sup> -0.1	1	+0.1 <sup>+</sup> 0	1.8	+0.1 <sup>+</sup> 0			C-01	947P	
3-661	1	+0.025 <sup>+</sup> 0	4	+0 <sup>-</sup> -0.05	6	+0 <sup>-</sup> -0.05	0.8		2.9	+0.05	3	上冲修凹槽	C-01	947P	
3-662	2.5	+0.24 <sup>+</sup> 0.014	4.2	-0.01 <sup>-</sup> -0.03	5	+0.1	1.4	+0.05	2.7	+0.05			AC15	清洗不浸油	
3-663	2	+0.006 <sup>+</sup> 0.003	5	+0 <sup>-</sup> -0.015	6	-0.01 <sup>-</sup> -0.03	0.8	+0.03	2.2	+0.05			C-01	947P	
3-663-2	2	+0.006 <sup>+</sup> 0.003	5	+0 <sup>-</sup> -0.015	6	-0.01 <sup>-</sup> -0.03	0.8	+0.03	2.2	+0.05			C-01	946P	
3-663-3	2	+0.015+0.010	5	+0-0.015	6	-0.01-0.03	0.8	+0.03	2.2	+0.05			C-01	946P	
3-664	2	+0.006 <sup>+</sup> 0.003	4.5	5	5.8	+0.03	0.5	+0.03	2.4	+0.05			C-01	947P	
3-664-2	2	+0.006 <sup>+</sup> 0.003	4.5	5	5.8	+0.03	0.5	+0.03	2.4	+0.05			C-01	946P	
3-664-3	2	+0.006 <sup>+</sup> 0.003	4.5	5	5.8	+0.03	1	+0.03	2.9	+0.05			C-01	946P	



3-664-4	2	+0.015+0.010	4.5	+0.035+0.025	5.8	+0.03	1	+0.03	2.9	+0.05			C-01	946P	
3-665	2.4	+0.02 <sup>+</sup> +0.01	4.8	+0 <sup>-</sup> -0.05	4.8	+0 <sup>-</sup> -0.05	0.5	待定	3.5	+0.05	3.8	+0 <sup>-</sup> -0.015	C-01	FGC100	
3-666	3.9	+0.03 <sup>+</sup> +0	6.4	+0.05	10.5	+0.1	1.2	+0.05	3.9	+0.1			C-02C	MOBIL 1#	
3-667	3	+0.012 <sup>+</sup> +0.006	6	+0.02 <sup>+</sup> +0	10	+0 <sup>-</sup> -0.05	1.8	+0.05	3.3	+0.05	3.5		C-02W	947P	
3-668	1	+0.008+0.002	2	+0.07+0.03	2.4	+0.05	0.7	+0.05	1.5	+0-0.08			C-01	ST#330	
3-669	5	+0.04+0.02	8	+0.047+0.025	10	+0.1	0.95	-	4.6	+0.1			AC15	M1#	
3-670	6	+0.03 <sup>+</sup> +0.01	8	+0 <sup>-</sup> -0.05	11	+0.1	0.7	+0.05	4.2	+0.1			F-01	防锈油	
3-671	2	+0.04+0.02	6	+0.01+0	7	+0.05	0.65	+0.05	3.2	+0.05			C-01	ST#330	
3-672	5	+0.02+0	8.2	+0.02+0	10.5	+0.1	1.6	+0.1	10	+0.1			F-01	MOBIL 1#	
3-673	3	-0.05-0.07	8	+0-0.03	10	+0.05	1.45	+0.05	3.2	+0.05			F-01	过防锈油	
3-674	1.5	+0.013 <sup>+</sup> +0.010	3	+0.02 <sup>+</sup> +0.01	4	+0 <sup>-</sup> -0.05	0.5	+0 <sup>-</sup> -0.05	2	+0.05			C-01	947P	
3-675	5	+0.02 <sup>+</sup> +0.01	8	+0.03 <sup>+</sup> +0.01	9.5	+0.05	1.5	+0 <sup>-</sup> -0.1	4.5	+0.05			AC15	防锈油	
3-676	12	+0.020 <sup>+</sup> +0.005	16	5	19	+0.1	2	+0.1	11.5	+0.1			QMP-3	PM-350	
3-677	8	+0.05 <sup>+</sup> +0.03	11	+0.02 <sup>+</sup> +0	14	+0.1	2	+0 <sup>-</sup> -0.15	10	+0.15			AC15	OIL 947	
3-678	1.5	+0.015 <sup>+</sup> -0.005	3.2	+0.02 <sup>+</sup> +0.01	4.6	+0.05	1	+0.05	2	+0.05			C-01	ST#330	角
3-679	18	+0.025 <sup>+</sup> +0.005	23	+0.05 <sup>+</sup> +0.03	27	+0.1	3.9		22.5	+0.1			C-04X	MOBIL 1#	
3-680	10	+0.020 <sup>+</sup> +0.005	15	+0.04 <sup>+</sup> +0.02	16	+0.1	2.5		6	+0.05			C-04X	MOBIL 1#	
3-681	3	-0.05 <sup>-</sup> -0.07	8	-0.01 <sup>-</sup> -0.03	10	+0 <sup>-</sup> -0.1	1.45	+0.03	3.2	+0.05			F-01	过防锈油	
3-682	8	+0.05 <sup>+</sup> +0.04	11	+0.02 <sup>+</sup> +0	14	+0 <sup>-</sup> -0.1	2	+0.1	7	+0.1			AC15	MOBIL 1#	
3-683	0.8	+0.003 <sup>+</sup> +0	2.4	+0 <sup>-</sup> -0.01	3.5	+0 <sup>-</sup> -0.02	0.4	+0.05	1	+0.05	1	下冲修凹槽	C-01	947P	
3-684	2.5	+0.010 <sup>+</sup> +0	4	+0.04 <sup>+</sup> +0.01	6	+0.05	1.5	+0.05	3	+0.05			C-01	ST#6L	
3-685	7	+0.047 <sup>+</sup> +0.025	10	8	12	+0.05	2.2		3.7	+0.1	0		AC15	ST#6L	
3-686	10	+0.01	12	+0.02	14	+0.05+0.02	9.3		11.5	+0.1			FC-06A	T68	
3-687	8	+0.035 <sup>+</sup> +0.025	12	+0.05 <sup>+</sup> +0.03	16	+0.2	1	+0.1	9		9.6	上冲修凸台	C-02C	#626	
3-688	1	+0.019+0.015	2	+0.02+0.01	3.6	+0.03	0.5	+0.03	2	+0.05			C-01	946P	
3-689	2	+0.010 <sup>+</sup> +0.006	4.5	+0.05	5.4	+0.07 <sup>+</sup> +0.06	0.9	+0.05	1.2	+0.05			H-11	947P	
3-689-2	2	+0.006+0.003	4.5	+0.05	5.4	+0.06+0.05	0.9	+0.05	1.2	+0.03			C-01	947P	
3-690	4	+0.01 <sup>+</sup> +0	7	+0.02 <sup>+</sup> +0	8	+0.1	1	+0.05	6	+0.1			C-04X	T68	
3-690-2	4	+0.01 <sup>+</sup> +0	7	+0 <sup>-</sup> -0.02	8	+0.1	1	+0.05	6	+0.05			C-04X	T68	
3-690-3	4	+0.015+0.008	7	+0 <sup>-</sup> -0.02	8	+0.1	1	+0.05	6	+0.05			C-04X	T68	
3-690-4	4	+0.020+0.005	7	+0.02+0	8	+0.1	1	+0.05	6	+0.1			QMP-1	MOBIL 1#	
3-690-5	4	+0.022+0.015	7	+0 <sup>-</sup> -0.02	8	+0.1	1	+0.05	6	+0.05			C-04X	T68	
3-691	1.5	+0.005 <sup>+</sup> +0.001	4	+0.01	4.5	+0 <sup>-</sup> -0.05	1		2	+0.05	1.8	+0.1	H-11	947P	
3-691-2	1.5	+0.006+0.002	4	+0-0.1	4.5	+0 <sup>-</sup> -0.05	1		2	+0.05	1.8	+0.1	H-11	947P	
3-692	9.7	+0.05	13	+0.1 <sup>+</sup> +0	18	+0.2	1.5	+0.1	15.5	+0.1			FC-06A	T68	
3-693	3	+0.03 <sup>+</sup> +0.02	6	+0 <sup>-</sup> -0.01	7	+0 <sup>-</sup> -0.05	0.5	+0.05	2.7	+0.05			FC-06A	T68	
3-694	3.9	+0.03 <sup>+</sup> +0	6.47	+0.05	10.5	+0.1	1.2	+0.05	3.9	+0.1			C-02C	MOBIL 1#	
3-695	6	+0.007 <sup>-</sup> -0.008	8	+0 <sup>-</sup> -0.02	9.7	+0.05	0.5	+0 <sup>-</sup> -0.1	1.85	+0.05			C-01	#626	

3-696	10	+0.03 <sup>+</sup> +0.01	14.5	+0.1	17	+0.03 <sup>+</sup> +0.01	6.5	+0.1	8.5	+0.1			F-01	T68	
3-697	1.5	+0.020 <sup>+</sup> +0.012	2.88	+0.01	4	+0.05	0.5	+0.05	1.5	+0.05	0		C-01	T68	
3-698	2.5	+0.025 <sup>+</sup> +0.014	4	+0.03 <sup>+</sup> +0.01	5	+0.05	1.8	+0.05	4.8	+0.05	0		AC15	防锈油	T11处理
3-699	7	+0.025 <sup>+</sup> +0.014	10.5	+0 <sup>-</sup> -0.02	12	+0 <sup>-</sup> -0.1	4.1		5.3	+0.1	0		AC15	T68	
3-700	1	+0.003 <sup>+</sup> +0	2.4	+0 <sup>-</sup> -0.01	3.5	+0 <sup>-</sup> -0.02	0.4	+0.05	1	+0.05	1.2		C-01	947P	修凹槽
3-701	7.9	+0.07+0.05	12.5	0.068	14	+0.1	2.3	+0 <sup>-</sup> -0.15	18	+0.15			C-01	FDA-1	度
3-702	16.4	+0.03 <sup>+</sup> +0	22	+0 <sup>-</sup> -0.021	24	+0.1	2.2	+0.15 <sup>+</sup> +0	17.35	+0.15 <sup>+</sup> +0	16.6	+0.05 <sup>+</sup> +0	QMP-2	FGC100	江成形;上
3-703	8	+0.015 <sup>+</sup> +0	15	+0.01	24	+0.1	2.2	+0.2	22	+0.2	0		C-01	FGC100	小外径锥
3-704	9.7	+0.05 <sup>+</sup> +0	13	+0.1 <sup>+</sup> +0	18	+0.2	1.5	+0.1	13.5	+0.1			FC-06A	T68	长江成形
3-705-2Q	8	+0.016+0.006	12	+0.020+0.005	16	+0.05	2	+0.07	10	+0.05-0.10			QMP-2	MOBIL 1#	
3-706	8	+0.05 <sup>+</sup> +0.03	11	+0.02 <sup>+</sup> +0	14	+0.1	2.3	+0.1	7	+0.15			AC15	OIL 947	
3-706-2	8	+0.03+0.01	11	+0.02 <sup>+</sup> +0	14	+0.1	2.3	+0.1	7	+0.1		端面凸台	AC15	过防锈油	
3-707	8	+0.05 <sup>+</sup> +0.03	11	+0.02 <sup>+</sup> +0	14	+0.1	2	+0 <sup>-</sup> -0.15	10.8	+0.15	8.2		AC15	OIL 947	
3-708	3	+0.01 <sup>+</sup> +0	6	+0.05 <sup>+</sup> +0.03	7.8	+0 <sup>-</sup> -0.05	0.9	+0.1	3	+0.1			AC15	T68	
3-709	6	+0.02+0.01	10	+0.04+0.02	12	+0.05	1	+0.1	6	+0.1			FC-06A	MOBIL 1#	
3-709-2	6	+0.02+0.01	10	+0.04+0.02	12	+0.05	1	+0.1	6	+0.1			FCU30W	MOBIL 1#	
3-710	6	+0.02 <sup>+</sup> +0.01	10	-0.01 <sup>-</sup> -0.03	11.5	+0.1	0.9	+0.05	2.8	+0.1	8	凸台	AC15	过防锈油	
3-711	8	+0.018 <sup>+</sup> +0.006	11.5	+0.05 <sup>+</sup> -0.02	14	+0.1	1.5	+0.15 <sup>+</sup> +0	7.5	+0.1			FC-06A	T68	
3-712	1.5	+0.008 <sup>+</sup> +0.004	4.65	+0.01	6.5	+0.05	0.6	+0.05	3	+0.05	1.7	3.5	C-01	ST#330	
3-713	2.5	+0.05 <sup>+</sup> +0.03	6.4	+0.03 <sup>+</sup> +0.01	7.6	+0.05	0.5	+0.1	5.2	+0.1	0		F-01	T68	
3-714	1	+0.004 <sup>+</sup> +0	3.4	0.020	4	+0.05	0.6		1.5	+0.05			C-01	947P	
3-715	6	+0.014 <sup>+</sup> +0.007	8	+0.01	10	+0.05	2	+0.05	7	+0.1			QMP-1	MOBIL1#	
3-716	3	-0.05 <sup>-</sup> -0.06	8	+0 <sup>-</sup> -0.05	10	+0.05	1.4	+0.05	3.4	+0.05			F-01	过防锈油	
3-717	3	+0.012 <sup>+</sup> +0.006	7.5	+0 <sup>-</sup> -0.02	10	+0 <sup>-</sup> -0.05	1.5	+0.05	3.5	+0.05	3.5		C-02W	947P	
3-718	2.5	+0.014 <sup>+</sup> +0	5.5	+0.02 <sup>+</sup> +0	7	+0 <sup>-</sup> -0.1	2	+0.05	3.5	+0 <sup>-</sup> -0.1			AC17	T68	
3-719	6.3	+0.07+0.05	11	+0.02 <sup>+</sup> +0	14		2	+0.1	6.7	+0.15	6.5		AC15	OIL 947	
3-720	5	+0.012 <sup>+</sup> +0.006	10	+0.015	13	+0 <sup>-</sup> -0.05	3		4.5	+0.05			C-02W	947P	
3-721	4	+0.03 <sup>+</sup> +0	6.4	+0.02	8.5	+0.1	1.5	+0.05	3.7	+0.1			C-02C	MOBIL 1#	
3-722	3	+0.008+0.003	7	+0.07+0.05	9	+0.15	2.9		5.9	+0.1			FC-06A	C68	油桶
3-723	2	+0.01+0	4	+0.01	4.3	+0.01	0.5	+0.05	1.5	+0.05			C-01	FGC100	
3-724	5	+0.020+0.005	7	+0.02+0	8	+0.1	1	+0.05	6	+0.1			QMP-1	MOBIL 1#	
3-725	2	+0.02+0	3.2	+0.05+0.03	4	+0.1	1	+0.05	3.5	+0.05			QMP-1	MOBIL 1#	
3-726	2.5	+0.04+0.02	4.5	+0.02+0	6	+0-0.02	2	+0-0.1	3	+0-0.1			QMP-1	MOBIL 1#	
3-727	8	+0.03+0.01	11	+0-0.02	12	+0.05+0	1	+0-0.1	3.5	+0-0.1			QMP-1	MOBIL 1#	
3-728	4	+0.01+0	7	+0-0.02	8	+0.1	1	+0.05	4	+0.05			F-01	T68	
3-728-2	4	+0.020+0.005	7	+0.02+0	8	+0.1	1	+0.05	4	+0.1			QMP-1	MOBIL 1#	
3-729	8	+0.02+0	12	+0-0.02	17	+0.05	2		5.8	+0.1			AC15	T68	
3-730	6.3	+0.07+0.05	11	+0.02+0	14		2	+0.1	6.2	+0.15	6.5	+0.02	AC15	OIL 947	

3-731	8	+0.05+0.03	11	+0.02+0	14	+0.1	2	+0-0.15	10	+0.3+0			AC15	OIL 947	
3-732	15	+0.02+0	19	+0.06+0.03	21	+0.05+0	1	+0-0.1	5	+0-0.1			AC15	MOBIL 1#	
3-733	15	+0.02+0	20	+0.03+0	21	+0.05+0	4	+0-0.1	18.3	+0-0.1			AC15	MOBIL 1#	
3-734	8	+0.014+0.007	11	-0.02-0.04	14.3	+0-0.1	1.75	+0-0.1	6	+0-0.1			C-01	MOBIL 1#	
3-735	1.5	+0.008+0.004	4	+0-0.02	5	+0-0.05	1		1.9	+0-0.05	1.9		C-01	WS-P24	
3-736	6	+0.02+0.01	10	+0.04+0.02	12	+0-0.05	1	+0-0.1	4.5	+0-0.1			FC-06A	MOBIL 1#	
3-737Q	8	+0.038+0.020	12	+0.050+0.032	14	+0-0.2	1	+0.1+0	5.5	-0.1-0.2			C-01	A602	
3-738Q	20	+0.053+0.020	25	+0.080+0.048	27	+0-0.2	1.5	+0.1+0	12	-0.1-0.2			C-01	A602	
3-739	6	+0.03+0.01	9.5	+0-0.05	13	+0-0.05	3		4.5	+0-0.1	6.4		H-11	951P-32	
3-740	2	+0.017+0.012	4	+0.04+0.02	6	+0-0.05	0.5	+0-0.05	2.5	+0-0.05			C-01	WS-P24	
3-741	2	+0.012+0.008	5	+0.05+0.02	6	+0-0.05	0.6	+0-0.05	2.5	+0-0.05			C-01	WS-P24	
3-743	3	+0.03+0	6	+0-0.02	9	+0-0.05	1.2		6	+0-0.05			FC-06A	T68	
3-744	2	+0.012+0.006	6	+0-0.01	8	+0-0.05	1.5	+0-0.05	2.8	+0-0.05	2.2		C-02W	947P	
3-745	4	+0.012+0.005	10	+0.02+0	11		2		7	+0-0.15			C-04X	FDA-5	
3-746Q	18	+0.053+0.020	25	+0.080+0.048	27	+0-0.2	1	+0.1+0	7.5	-0.1-0.2			C-02C	A602	
3-747	7	+0.03+0	10	+0.13+0.10	12	+0-0.15	1.7	+0-0.1	6	+0-0.15	8.4		AC15	FDA-5	
3-748Q	10	+0.036+0.018	12	+0.03+0.01	17	+0-0.1	1.8	+0-0.1	9.8	+0-0.2			AC15	A602	
3-749	5	+0.025+0.012	8	+0.015+0	9	+0-0.1	0.6	+0-0.05	3.9	+0-0.05			C-04X	T68	
3-750	2	+0.010+0.005	4	+0.06+0.04	5	+0-0.1	0.5	+0-0.05	2	+0-0.05	2.3		F-200S	948P	
3-751	4	+0.04+0.02	6.1	+0.08+0.05	7	+0-0.1	1		3	+0-0.1			AC15	MOBIL 1#	
3-752	1.5	+0.006+0.003	4	+0.02+0	5	-0.01-0.04	0.5	+0-0.03	1.5	+0-0.05	1.7		C-01	947P	
3-753	1.5	+0.010+0.005	3	+0.03+0.01	4	+0-0.05	0.5		2.3	+0-0.05			C-02W	947P	
3-755	1.5	+0.008+0.004	4	+0-0.02	6	+0-0.03	1		2.1	+0-0.05	1.9		C-02W	WS-P24	
3-756	8	+0.02+0.01	12	+0-0.02	14	+0-0.1	2	+0-0.1	8	+0-0.1			C-02C	WS-P40	
3-757	1	+0.04+0	2.2	+0-0.05	2.6	+0-0.05	0.5	+0-0.05	3	+0-0.05			C-01	过防锈油	
3-758	2	+0.02+0	3.2	+0.05+0.03	4	+0-0.1	1	+0-0.05	2	+0-0.05			QMP-1	MOBIL 1#	
3-759	2	+0.02+0.01	4	+0-0.01	6	+0-0.1	1	+0-0.05	2.5	+0-0.05			AC15	WS-P24	
3-760	3	+0.010+0.005	8	-0.01-0.03	10	+0-0.1	1.5	+0-0.1	6	+0-0.1			F-01	PM-350	
3-761	2	+0.04+0.03	4	+0.030+0.015	5	+0-0.05	1	+0-0.05	2.8	+0-0.05			AC15	#626	
3-762-2Q	8	+0.012+0.005	12	+0.012+0.005	16	+0-0.1	1	+0-0.05	6	+0-0.1			QMP-3	PM-350	
3-762Q	8	+0.012+0.005	12	+0.012+0.005	16	+0-0.1	1	+0-0.05	6	+0-0.1			QMP-2	PM-350	
3-763	8	+0.020+0.005	12	+0.025+0	16	+0-0.1	2	+0-0.1	12	+0-0.1			AC15	MOBIL 1#	
3-764	5	+0.020+0.005	8	+0.050+0.025	10	+0-0.1	1	+0-0.05	7.5	-0.1-0.2			AC15	MOBIL 1#	
3-765	1.5	+0.010+0.005	3	+0.02+0	4	+0-0.05	0.5		2.2	+0-0.02	1.7		C-02W	947P	
3-766	2	+0.007+0.003	6	-0.005-0.015	7	+0-0.05	1.5	+0-0.05	3.5	+0-0.05			C-02C	947P	
3-767	5	+0.040+0.025	8	+0.095+0.075	9	+0-0.05	1	+0-0.05	15.8	+0-0.1			FC-06A	T68	
3-768	2	+0.015+0	3.2	+0.05+0.03	4	+0-0.1	1	+0-0.05	2.9	+0-0.05			QMP-1	OIL 947	
3-769	7	+0.08+0.02	12	+0.05+0.02	14	+0-0.1	3.5	+0-0.1	7	+0-0.1			AC15	T68	

3-770	5	+0.08+0.02	8	+0.05+0.02	10.4	+0.1	2		7.7	+0-0.1			AC15	T68	
3-771	7	+0.08+0.02	10	+0.05+0.02	14	+0.1	2		7.5	+0.1			AC15	T68	
3-772	10.6	+0.1+0	13.6	+0-0.02	21.8	+0.1	2	+0.1	5.5	+0.1			AC15	T68	
3-773	6	+0.02+0.01	10	-0.01-0.03	11.5	+0.1	0.9	+0.05	4.2	+0.1			AC15	过防锈油	
3-774	7	+0.020+0.005	10.5	+0.037+0.019	14	+0.15	2.5	+0.1	10.5	+0-0.15			8272	T68	
3-775	3	+0.017+0.008	7	+0.07+0.05	8	+0.22+0.02	1	+0.05	12.2	+0.06	7	+0.055+0.040	C-04X	FDA-2	
3-776	3	+0.017+0.008	7	+0.055+0.040	9	+0.2+0	1.65		10.3		7	+0.055+0.040	C-04X	FDA-2	油桶
3-777Q	6	+0-0.02	12	+0.03+0.01	14	+0-0.2	5.4	+0-0.15	23.5	+0.1			C-02C	DG202	
3-778	3.17	+0.013+0.008	6	+0.05	7.5	+0.05	7.8		12.2	+0.1	4.3	+0.1	H-11	T68	
3-779	5	+0.040+0.025	8	+0.095+0.075	9	+0.05	1	+0.05	13	+0.1			AC15	T68	
3-780	5	+0.01+0	10	+0-0.05	13	-0.05-0.10	2.3	+0.08	5.8	+0.2+0	12	+0-0.02	F-01	947P	阶
3-781	7	+0.025+0.014	10	+0.050+0.028	12	+0.1	2.2	+0.1	5.9	+0.1			AC17	T68	
3-782Q	7	+0.034+0.021	11	+0.051+0.033	14	+0.1	1.8	+0.05	8	+0.1			C-04X	A602	
3-783	1	+0.010+0.006	2.1	+0.03	2.7	+0.03	0.5	+0.1	1.6	+0.1			C-01	ST#330	2.1+0.01
3-784	11	+0.03+0	13	+0.03+0	14	+0-0.05	6	+0.05	8	+0.1			C-04X	WS-P40	
3-785Q	6	+0.027+0	9	+0.063+0.045	14	+0.2	2	+0.1	8	+0.1			9124	A210	1-Z1*15
3-787	3	+0.015+0.005	7	+0.07+0.05	9	+0.15	3.45		13.45	+0.1	7	+0-0.02	AC15	T68	油桶